

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPL
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 029392 (B)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

HINKLE "B" FEDERAL

9. WELL NO.

#6

10. FIELD AND POOL, OR WILDCAT

SHUGART

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

34 - 18 S - 31 E

12. COUNTY OR PARISH

EDDY

13. STATE

NEW MEX

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

WESTALL - MASK

3. ADDRESS OF OPERATOR

DRAWER 1477, ROSWELL NM 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

330' FROM NORTH AND 1650' FROM WEST

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3626 GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.) *

DRILLED 4493

1/19/76 3600-3662 12 HOLES

3782-3800 10 HOLES

TOTAL 22 HOLES FRAC, 40,000 GAL WATER

55,000 LBS 20-40 SAND

12 BBLs 15% DS-30 ACID

RAN RODS AND TUBING, BEGAN PRODUCING 50 BBLs PER DAY

8 5/8 20# SET AT DEPTH 650 300 SKS CEMENT

4 1/2 9.5# SET AT DEPTH 4481 300 SKS CEMENT

2 3/8 EUE SET AT DEPTH 3200

TOTAL DEPTH DRILLED 4493

RECEIVED

FEB 2 1976

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

* STIMULATION TREATMENT REPORT INCLUDED

18. I hereby certify that the foregoing is true and correct

SIGNED

Jack Mank

TITLE

Co-owner

DATE

1/30/76

(This space for Federal or State office use)

TITLE

DATE

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

FEB 3 - 1976

L. BEEKIN
ACTING DISTRICT ENGINEER

*See instructions on Reverse Side

Job Number

THE WESTERN CO. FOG WORTH, TEXAS WESTOMETER MARK V

PRINTED IN U.S.A.

PRESSURE X 1000 PSI

PRESSURE X 1000 PSI

1800 + 1100

Shut Down

Start Flush

Start 2 20/40

PRESSURE X 1000 PSI

PRESSURE X 1000 PSI

Start 1 3/4 20/40

Start 1 20/40

Start 3/4 20/40

Start 1/2 20/40

Start Wellhead Water

PRESSURE X 1000 PSI

PRESSURE X 1000 PSI

PRESSURE X 1000 PSI