

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN THE ICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 662

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☐ GAS WELL ☒ OTHER

AUG 24 1979

2. NAME OF OPERATOR

Yates Petroleum Corporation

O. C. C.

3. ADDRESS OF OPERATOR

ARTESIA, OFFICE

207 South 4th Street, Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

660' FSL & 1980' FEL of Section 19-20S-25E

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "FC"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat Canyon

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Unit 0

Sec 19-20S-25E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3556 KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Recompletion

X

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

8-7-79: Blew well down & loaded hole w/3% KCL water. Released packer, installed BOP's & POOH. Set CIBP @ 9380' & dumped 35' cement on top. Perforated Canyon @ 7743-49' (2 spf), 7608-10, 7625-41' (1 spf), total 40 .50" holes. RIH w/RBP, Guiberson Uni VI packer on 2-3/8" tubing, straddle and tested each zone as follows: 7743-49, treated 1000 g. 15% NEA @ 2 BPM & 2000 psi, ISDP 1400. Swabbed back load, dry, no oil or gas.

8-9-79: Reset packers & acidized perfs 7608-41 w/2500 g. 15% NEA @ 3.3 BPM & 3400#. ISDP 1950. Swabbed back load & well flowed 85# on 1/4" choke = 125 mcfpd, SITP 2320 psig.

RECEIVED

AUG 22 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Eddie H. Inal

TITLE

Engineer

DATE 8-22-79

(This space for Federal or State office use)

ACTING DISTRICT ENGINEER

APPROVED BY

George H. Stewart

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: