

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

RECEIVED

MAY 14 1976

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/></p>
<p>1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-</p>		<p>5. State Oil & Gas Lease No.</p>
<p>2. Name of Operator Yates Petroleum Corporation</p>		<p>7. Unit Agreement Name</p>
<p>3. Address of Operator 207 South 4th Street - Artesia, NM 88210</p>		<p>8. Farm or Lease Name Moore "FQ"</p>
<p>4. Location of Well UNIT LETTER <u>F</u>, <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>West</u> LINE, SECTION <u>19</u> TOWNSHIP <u>20S</u> RANGE <u>25E</u> NMPM.</p>		<p>9. Well No. 1</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3562' GR</p>		<p>10. Field and Pool, or Wildcat Und. Cemetary Morrow</p>
<p>12. County Eddy</p>		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Set 5 1/2" csg, perf, and treat</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 9750'; PBTD 9695' - Ran 228 jts of 5 1/2" 17# K-55 & N-80 (9760.17') of csg. set at 9737', 1-Float Collar at 9695' and 1-Float Shoe at 9737'. 3-Turbolizers & 5 centralizers. Cmt'd w/300 sx of Halco-Lite w/5/10% CFR-2 and 5# KCL/sx, tailed in w/150 sx of Class H w/5/10% CRR-2 and 5# KCL/sx. Displaced w/20 bbls 2% KCL & 209 bbls fresh wtr. PD 7:45 PM 4-20-76. WOC and tested to 1500#.OK. Ran Temp. Survey and found top of cement at 7210'. Wireline plug back 9680'. TD 9750'; PBTD by Wireline 9680'. RIH w/2-3/8" tbg w/Tbg Conveyed Gun, Guiberson On-Off Tool above Guiberson Uni-VI pkr at 9500'. ID Profile is 1.81' and Guiberson Uni-VI pkr set at 9502'. Perforated w/68 .32" holes as follows: 9560-62 (8holes) 9564-79' (60 holes). Acidized w/1000 gallons 7 1/2% MS acid & N-2. Swbd very small volume trtd water and form. wtr. Gas TSTM. Plug Back as follows: Set CIBP at 9550' and dumped 16' of cmt on top at 9534'. TD 9750;PBTD 9534'. RIH w/2-3/8" tbg w/Tbg Conveyed Gun and Guiberson Uni-VI pkr set at 9323'. Perforated the Morrow Formation w/60 .32" shots as follows: 9381-89 (32 holes) 9397-9404' (28 holes)(4 JSPF). Well flowed 4530 MCFPD on 1/2" choke, FTP 740#.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Imbrusen TITLE Geol. Secty DATE 5-13-76

APPROVED BY W. A. Gussard TITLE SUPERVISOR, DISTRICT # DATE MAY 14 1976

CONDITIONS OF APPROVAL, IF ANY: