

DEPARTMENT OF THE INTERIOR (Reverse Side)
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> P & A		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Yates Petroleum Corporation		8. FARM OR LEASE NAME CC Tank Unit Federal	
3. ADDRESS OF OPERATOR 207 South 4th Street - Artesia, NM 88210		9. WELL NO. 3	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1650' FSL & 1980' FEL of Section 12-20S-23E		10. FIELD AND POOL, OR WILDCAT Wildcat	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3990' GR	
		11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA Sec. 12-20S-23E NMPM Unit J	
		12. COUNTY OR PARISH Eddy	
		13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
(Other) <u>TEMPORARY</u>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

TD 9080'; PBTD 6773'. - This well was plugged and abandoned as follows:
(1) Retrieved tubing and packers; (2) Set CIBP at 6600' w/35' of cement on top of plug; (3) Shot off casing at 4200' and spotted 35 sacks of cement across the casing stub; (4) spotted 35 sacks of cement plug at 2550-2450'; (5) spotted 35 sacks at 1870-1770' (6) spotted 35 sacks at 960-860'. Installed a temporary dry hole marker.

This location will be restored to conform with the BLM stipulations.

RECEIVED

AUG 25 1978

O. C. C.
ARTESIA, OFFICE

RECEIVED

JAN 11 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED Christine Tomlinson TITLE Geol. Secty DATE 1-9-77

(This space for Federal or State office use)

APPROVED BY (Eng. Sgd.) ALBERT R. STALL TITLE ACTING DISTRICT ENGINEER DATE AUG 24 1978

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side