

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR MONSANTO COMPANY		8. FARM OR LEASE NAME Foster Federal	
3. ADDRESS OF OPERATOR 1330 Midland National Bank Tower, Midland, Texas		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any state requirements.* See also space 17 below.) At surface 1980' FWL and 600' FSL		10. FIELD AND POOL OR WILDCAT <i>W.D. Morrow</i> Cemetery	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 31, T-19S, R-25E	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3560' Gr.		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:	
WATER SHUT-OFF	<input checked="" type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>
(Other) <u>Spud</u>	<input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Spudded 17½" hole 9:00 PM 7/1/76.

Drilled 17½" hole to total depth 396'.

Set 13 3/8" 48# H-40 ST&C Csg at 396' and cemented w/ 350 Sx. Lt Wt, 1/4# Celex, 150 Sx. Class C, 2% CaCl; Cmt circulated to surface. Plug down 8:30 PM 7/3/76; WOC 24 Hrs. Tested w/ 1000 psi for 30 Mins, held OK.

Drilled 12 1/4" hole to total depth 1317'; Set 9 5/8" 36# K-55 ST&C Csg at 1317'; Cemented w/ 500 Sx. Lite Wt & 200 Sx. Class 'C'; Cmt did not circulate.

Ran 1" in annulus & cemented to surface w/ 110 Sx. Class C Cement;

Job complete 10:15 PM 7/6/76; WOC 24 Hrs; Tested w/ 1500 psi for 30 Mins., held OK.

RECEIVED

JUL 23 1976

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Regional Production Mgr.

DATE 7/22/76

(This space for Federal or State office use)

APPROVED BY

TITLE ACTING DISTRICT ENGINEER

DATE JUL 28 1976

CONDITIONS OF APPROVAL, IF ANY: