

N.M.O.C.C. COPY
UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-014103

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Littlefield EM Fed. Com

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat *Deerman*

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 20, 18-S, 31-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

JAN 18 1977

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Gulf Oil Corporation

3. ADDRESS OF OPERATOR

Box 670, Hobbs, New Mexico 88240

O. C. C.
ARTESIA, OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FS & EL, Section 20, 18-S, 31-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3629' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) _____

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Reached total depth of 12-1/4" hole at 4508' at 3:00 AM, January 8, 1977. Ran 107 joints, 4488' of 9-5/8" OD 40# K-55 LT&C casing set and cemented at 4507' with DV tool at 1197. Cemented first stage with 600 sacks of Class C containing 16% gel and 200 sacks of Class C Neat. Opened DV tool and cement circulated. Cemented second stage with 650 sacks of Class C with 5# salt per sack. Cement circulated. Closed casing valve and squeezed with 500 sacks of Class C cement with 5# salt per sack. WOC over 24 hours. Cleaned out and tested casing with 2,000#, 30 minutes, OK.

Started drilling 8-3/4" hole at 4508' at 1:00 PM, January 12, 1977.

RECEIVED

JAN 14 1977

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED *O. F. Berlin*

TITLE Area Engineer

DATE January 13, 1977

(This space for Federal or State office use)

APPROVED BY *Joe S. Lara*

TITLE ACTING DISTRICT ENGINEER

DATE JAN 17 1977

CONDITIONS OF APPROVAL, IF ANY: