

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	<input checked="" type="checkbox"/>
LAND OFFICE	<input checked="" type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-952

SUNDRY NOTICES AND REPORTS ON WELLS RECEIVED  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- RECOMPLETION 2. Name of Operator Yates Petroleum Corporation 3. Address of Operator 105 South 4th St., Artesia, NM 88210 4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 2080 FEET FROM THE West LINE, SECTION 7 TOWNSHIP 19S RANGE 28E NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 3528' GR	7. Unit Agreement Name 8. Farm or Lease Name State HU Com 9. Well No. 1 10. Field and Pool, or Wildcat Undesignated Wolfcamp 12. County Eddy
---	--

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER Plugback well for recompletion <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

Set bridge plug 10635' w/35' cement cap. Set bridge plug at 10450' with 35' cement cap. WIH and perforated 10018-10069' w/11 .41" holes as follows: 10018, 19, 20, 21, 23, 25, 58, 61, 63, 66 ad 10069'. Treated perforations 10018-10069' w/2000 gals 15% NEFE acid and 14 ball sealers. Small show of gas. WIH and perforated 9555-9567' w/10 .41" holes as follows: 9555, 56, 57, 58, 60, 61, 64, 65, 66, 67'. Acidized perforations 9555-9567' w/1500 gals 15% NE acid and 10 ball sealers. Swabbed well dry. Set CIBP at 9500' w/35' cement cap. WIH and perforated 8569-8598' w/21 .41" holes as follows: 8569, 70, 71, 73, 74, 75, 76, 77, 78, 79, 82, 83, 84, 91, 92, 93, 8594, 95, 96, 97, 98'. Acidized perforations 8569-8598' w/2500 gals 15% NEFE acid with 25 ball sealers.

Work began 5-24-88; completed 6-7-88.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Original Signed By Mike Williams Oil & Gas Inspector	TITLE Production Supervisor	DATE 6-9-88
APPROVED BY	TITLE	DATE JUN 10 1988
CONDITIONS OF APPROVAL, IF ANY:		