

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		MAR 6 1979	
2. NAME OF OPERATOR Gulf Oil Corporation		O. C. C. ARTESIA, OFFICE	
3. ADDRESS OF OPERATOR P. O. Box 670 Hobbs, NM 88240		8. FARM OR LEASE NAME Keohane et al Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FNL & 660' FEL		9. WELL NO. 1	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3619' GL	
10. FIELD AND POOL, OR WILDCAT Wildcat Undes. Strawn		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 19, T-18-S, R-31-E	
12. COUNTY OR PARISH Eddy		13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) P&A Well	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work).*

11,165' PB

Pull prod. equipment. Run & set CIBP @ 10,700' & cap w/25 sx class "H" cmt. Circ. hole w/abandonment mud. Cut 5½" csg. at approx 9100' & POH. Spot cmt plug from 100' inside 5½" csg to 100' above, using minimum 50 sx cmt. Spot 50 sx cmt plug from 7700' up. Spot 50 sx plug from 5900'. Spot 50 sx cmt 4575'. Spot 50 sx cmt plug from 2100'. Spot 50 sx cmt plug from 600'. Spot 50' surf plug. Install dry hole marker. Clean & clear location.

RECEIVED

FEB 15 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED N. D. Silva, Jr. TITLE Area Engineer DATE 2/14/79

(This space for Federal or State office use)

APPROVED BY Joe J. Lora TITLE ACTING DISTRICT ENGINEER DATE MAR 5 - 1979
CONDITIONS OF APPROVAL, IF ANY: