

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.U.S.	
LAND OFFICE	
OPERATOR	1

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
L-621	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO OPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

RECEIVED

FEB 28 1980

1. OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator GULF OIL CORPORATION		8. Farm or Lease Name Eddy "GM" State
3. Address of Operator P.O. Box 670, Hobbs, NM 88240		9. Well No. 1
4. Location of Well UNIT LETTER 0, 1980 FEET FROM THE East LINE AND 660 FEET FROM THE South LINE, SECTION 36 TOWNSHIP 19S RANGE 27E NMPM.		10. Field and Pool, or Wildcat Angell Ranch, Morrow
15. Elevation (Show whether DF, RT, GR, etc.) 3498' GL		12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Recondition by PB higher in Morrow <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11,200' TD. Set 5½" cmt rtmr @ 10,882' (new PBTD). Circ hole. Spot 75 sx Class "H" cmt w/0.6% Halad-9. Squeeze perms 10,895-10,899'. Rvrsd 50 sx. Spotted 10% db1-inhibited HCl across new zone 10,850-10,870'. Perfd new zone 10,850-10,870' w/(1) ½" JHPF (21 holes). Tested csg to 1000# - held OK. Returned well to production.

Work performed 2-18-80 through 2-25-80.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED H.B. Sikes, Jr. TITLE Area Engineer DATE 2-27-80  
APPROVED BY W.A. Gussert TITLE SUPERVISOR, DISTRICT II DATE FEB 28 1980  
CONDITIONS OF APPROVAL, IF ANY: