Prope J Development Plan for Surface se Amoco Production Company's Greenwood Unit/Well No. 10 RECEIVED
H_{D} = 1000 FSL Y 660 FWL Sec 27 T-18-S P-31-F Eddy County
MAY 2 4 1978
U.S. GEULUGICAL SURVEY ARTESIA, NEW MEXICO
Detailed map showing drillsite location in relation to the nearest town and all existing roads within one mile of the wellsite are shown on Exhibit A. From Loco Hills go east on Hiway 82 5.8 miles. Turn south on Hiway 31 6.7 miles, turn east on dirt road 1.3 miles. 120' of new road will be built south to well location.
Planned access roads. 120' of new road will be built from existing road to location. Caliche will be used.
•
Location of existing wells.
All existing wells within one mile radius are shown on $Exhibit^C$.
Location of tank batteries and flow lines. If the well is commercially productive the production facilities (i.e. tanks, separators and treaters) will be located on the southeast end of the drilling pad. See Exhibit D.
Location and type of water supply.
Both fresh water and brine water will be obtained from Steve Carter & Son, Inc. Maljamar, NM.
Source of construction materials.

Caliche will be obtained from a pit in the NW/4 of SE/4 Section 34, T-18-S, R-31-E. •.

7. WASTE DISPOSAL -

• .

1.

2.

3.

4.

5.

6.

- a.
- Drill cuttings will be disposed of in the reserve pit. Drilling fluids will be allowed to evaporate in the reserve pit **b**. until the pit is dry.