Form 3160-5 (June 1990)

## U TED STATES DEPARTM.....IT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

N.M. O. Jons. Division

811 S. 1st Street Artesia, NM 882 10-2834 Expires March 31, 1993

5. Lease Designation and Serial No.

FORM APPROVED

J۶	(
----	---

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill on Use "APPLICATION FO	r to deepen or reentry to a different reservoir.  R PERMIT—" for such proposals	LC-029392-A 6. If Indian, Allottee or Tribe Name
SUBMIT	IN TRIPLICATE	NA 7. If Unit or CA, Agreement Designation
I. Type of Well  Oil Well  Gas Well  Other WSW		- 8. Well Name and No.
2. Name of Operator V DEVON ENERGY CORPORATION (NEVA	DA)	East Shugart WSW #1
3. Address and Telephone No.  20 NORTH BROADWAY, SUITE 1500, OK  4. Location of Well (Footage. Sec., T., R., M., or Survey I  1650' FNL & 1980' FWL, Section 35-18S-31		9. API Well No.  30-015-22603  10. Field and Pool, or Exploratory Area  Shugart (Y-SR-Q-G)
1030 1142 0 1330 1172, 000101100 100 01		11. County or Parish, State  Eddy County, NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Altering Casing Other Clean out fill & install PC pump	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all	pertinent details, and give pertinent dates, including estimated date of starting for all markers and zones pertinent to this work.)*	; any proposed work. If well is directionally drilled, give
Subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*  Devon Energy Corporation (Nevada) plans to clean out fill & install PC pump as follows: RU PU. ND wellhead. NU BOP. TOH w/ tbg. TIH w/ bit & clean out sand fill w/ produced wtr from 5773' to 6050'. Set TAC @ ±4000'. ND BOP. NU wellhead. Run PC pump & rods. Space out & hang pump off.		
14. I hereby certify that the foregoing is true and correct	Tonja Rutelonis	Date 11/17/99
(This space for Federal or State office use)  Approved by (ORIG. SGD.) ALEXIS C. SWO Conditions of approval, if any:	BODA Title Engineering Technician  PETROLEUM ENGINI  Title	

RECENTO

ROSWELL NA