

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)

Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NM-30062

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)RECEIVED  
DEC 12 1978  
O.C.G.  
ARTESIA, OFFICE1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. NAME OF OPERATOR

INEXCO OIL COMPANY

3. ADDRESS OF OPERATOR

1100 Milam Bldg. Suite 1900 Houston, TX 77002

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

1980' FNL &amp; 660' FEL, Sec 30, T20S-R24E

7. UNIT AGREEMENT NAME

Long Box Unit

8. FARM OR LEASE NAME

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec 30-T20S-R24E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB 3910'

12. COUNTY OR PARISH 13. STATE

Eddy

NM

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Run Casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

8/5/78 Ran 20" casing to 46'. Cemented with 5 yards Readmix cement.

8/15/78 Ran 13-3/8" 48# H-40 casing and set at 395', cemented with 250 sacks class "C" with cello flaked and gilsonite. Followed by 150 sacks class "C".

8/20/78 Ran 8-5/8" 24# K-55 and set at 1925' with 100 sacks surefil cement plug and 600 sacks class "C" low dense, cello-flake and gilsonite followed by 200 sacks class "C" with 2% CaCl<sub>2</sub>. Circulated 75 sacks.

9/20/78 Ran 4-1/2" 11.6# K-55 STC and set at 8736.30'. Cemented with 550 sacks class "H".

RECEIVED  
DEC 7 1978  
U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

V. C. Maddox

TITLE Asst. Drilling Administrator DATE 12/4/78

(This space for Federal or State office use)

APPROVED BY

Joe J. Lara

TITLE

ACTING DISTRICT ENGINEER

DATE

DEC 11 1978

CONDITIONS OF APPROVAL, IF ANY: