

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

RECEIVED

APR - 3 1979

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT DEPTH. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
<p>1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-</p>		<p>5. State Oil & Gas Lease No. L-2764</p>
<p>2. Name of Operator Yates Petroleum Corporation</p>		<p>7. Unit Agreement Name</p>
<p>3. Address of Operator 207 South 4th Street-Artesia, NM</p>		<p>8. Farm or Lease Name Irish Hills KW State</p>
<p>4. Location of Well UNIT LETTER <u>P</u> <u>330'</u> FEET FROM THE <u>South</u> LINE AND <u>345'</u> FEET FROM THE <u>East</u> LINE, SECTION <u>2</u> TOWNSHIP <u>19S</u> RANGE <u>24E</u> NMPM.</p>		<p>9. Well No. 1-Y</p>
<p>15. Elevation (Show whether DF, RT, GR, etc.) 3652' GR</p>		<p>10. Field and Pool, or Wildcat Und. Penasco Draw Yeso SA</p>
<p>12. County Eddy</p>		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Link Rat Hole Digger Spudded a 20" hole and set 30' of conductor pipe and cemented w/1 yard of Ready-mix 3-22-79.
Skidded rig and started drilling a 15" hole at 7:00 AM 3-23-79.
TD 239' - Ran 6 joints of 10-3/4" 32.3# of casing set at 239'. Cemented w/275 sacks of Class C 2% CaCl. Cement circulated. PD 1:15 PM 3-23-79. WOC 18 hours and backed off, reduced hole to 9-7/8", drilled plug and tested to 600#. OK. Resumed drilling.
TD 960' - Ran 24 joints of 20# K-55 ST&C 7" casing (960') set at 960', 1-Guide shoe at 960' and Insert float at 920'. Centralizers at 920'-550', basket at 550'. Cemented w/200 sacks of Howco Lite 5#/sack gilsonite, 1/4#/sack flocele 2% CaCl tailed in w/150 sacks Class C 2% CaCl. PD 8:00 AM 3-26-79. Cement did not circulate. WOC 6 hours, ran Temperature Survey and found top of cement at 375'. Ran 1" to 375', spotted 100 sacks of Class C 4% CaCl. Cement circulated 25 sx to surface. WOC 18 hours, NU and tested to 1000#. OK. Reduced hole to 6 1/4", drilled plug and tested to 600# OK. Resumed drilling.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED W. A. Gressett TITLE Geol. Secty DATE 4-2-79
APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE APR 4 - 1979
CONDITIONS OF APPROVAL, IF ANY: