

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
ANTA FE	/
ILE	/
S.G.S.	/
AND OFFICE	/
PERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

RECEIVED

APR 24 1979

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</small>		5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. State Oil & Gas Lease No. L-2919
Name of Operator Yates Petroleum Corporation ✓		7. Unit Agreement Name
Address of Operator 207 South 4th Street - Artesia, NM 88210		8. Farm or Lease Name SRC State KZ
Location of Well UNIT LETTER G 2310 FEET FROM THE North LINE AND 1650 FEET FROM THE East LINE, SECTION 1 TOWNSHIP 19S RANGE 24E NMPM.		9. Well No. 1
15. Elevation (Show whether DF, RT, GR, etc.) 3672' GR		10. Field and Pool, or Unit Penasco Draw/Yeso SA
		12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
ILL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	
OTHER <input type="checkbox"/>		OTHER <input type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded a 15" hole at 7:00 AM 4-9-79.

TD 310' - Ran 10 joints of 10-3/4" 32.7# K-55 317' of casing set at 310'. Cemented w/275 sacks of Class C 4% CaCl. Cement circulated 30 sacks to surface. PD 6:00 PM 4-9-79. WOC 12 hours, cut off, reduced hole to 9 1/2", drilled plug and tested to 600#. OK. Resumed drilling.

TD 964' - Ran 25 joints of 7" 20# casing (969') set at 964'. Cemented w/300 sacks Howco-Lite, 10#/sack gilsonite, 1/4#/sack flocele, 2% CaCl followed w/150 sacks of Class C 2% CaCl. PD 2:30 AM 4-13-79. Cement did not circulate. WOC 6 hours and ran Temperature Survey and found top of cement at 520'. Ran 1" to 520', spotted 50 sacks Class C 4% CaCl. PD 11:00 AM 4-13-79. WOC and ran 1", spotted cement at 480' pumped 50 sacks of Class C 4% CaCl. PD 3:10 PM 4-13-79. WOC and 1" tagged cement at 220', spotted 40 sacks of Class C 4% CaCl. PD 6:30 PM 4-13-79. Cement circulated 15 sacks to surface. WOC 18 hours. Nu and tested to 900#. OK. Reduced hole to 6 1/2", drilled plug and tested to 600#. OK and resumed drilling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

BY <u>Christine Immler</u>	TITLE <u>Geol. Secty</u>	DATE <u>4-21-79</u>
APPROVED BY <u>W. A. Gussert</u>	TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>APR 25 1979</u>
CONDITIONS OF APPROVAL, IF ANY:		