

Form 9-331
May 1964UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42 R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-065680

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Keohane Federal

9. WELL NO.

#5

10. FIELD AND POOL, OR WILDCAT

Wrd Shugart

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

25 - 18S - 31E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

JAN 31 1980

O. C. D.

ARTESIA OFFICE

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Westall & Mask

3. ADDRESS OF OPERATOR

P.O. Drawer 1477, Roswell New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
See also space 17 below.
At surface

2,310' From North Line and 330' From West Line

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

Gr.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

We request permission to set the following plugs:

Surface 20 Sx.

600' - 700' 100' 8 5/8" Shoe

850' - 950' 100' Top Salt

2150 - 2250' 100' Base Salt

2550' 100' Plug 50' In and 50' Out 4 1/2" Stub
Cement casing @ 2250' and put 100' plug in and out of
4 1/2" stub.

35' Cement on top of cast iron bridge plug @ 2900'

Salt top 900' and Salt bottom 2200/2175'

RECEIVED

DEC 31 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

(Agent) Co-Owner

DATE

12/28/79

(This space for Federal or State official use)
ALBERT R. STALL

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACTING DISTRICT ENGINEER

JAN 29 1980

*See Instructions on Reverse Side