

8. ANCILLARY FACILITIES:

- A. THERE ARE NO CAMPS OR AIR STRIPS IN THIS VICINITY, NOR WILL ANY BE CONSTRUCTED.

9. WELLSITE LAYOUT:

- A. EXHIBIT 9-A SHOWS THE RELATIVE LOCATION AND DIMENSIONS OF THE WELL PAD, MUD PITS, RESERVE PITS, TRASH PIT, AND LOCATION OF MAJOR RIG COMPONENTS.
- B. ONLY MINOR LEVELLING OF THE WELLSITE WILL BE REQUIRED. NO SIGNIFICANT CUTS AND FILLS WILL BE NECESSARY.
- C. THE RESERVE PIT WILL BE PLASTIC LINED.
- D. THE PAD AND PIT AREA HAS BEEN STAKED AND FLAGGED.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. AFTER COMPLETION OF DRILLING AND/OR COMPLETION OPERATIONS ALL EQUIPMENT AND OTHER MATERIAL NOT NEEDED FOR OPERATIONS WILL BE REMOVED. PITS WILL BE FILLED AND LOCATION CLEANED OF ALL TRASH AND JUNK TO LEAVE THE WELLSITE IN AN AESTHETICALLY PLEASING A CONDITION AS POSSIBLE.
- B. ANY UNGUARDED PITS CONTAINING FLUIDS WILL BE FENCED UNTIL THEY ARE FILLED.
- C. AFTER ABANDONMENT OF THE WELL, SURFACE RESTORATION WILL BE ACCORDANCE WITH THE AGREEMENT WITH THE SURFACE OWNER. PITS WILL BE FILLED AND LOCATION WILL BE CLEANED. THE PIT AREA, WELL PAD, AND ALL UNNEEDED ACCESS ROADS WILL BE RIPPED TO PROMOTE REVEGETATION. REHABILITATION SHOULD BE ACCOMPLISHED WITHIN 90 DAYS AFTER ABANDONMENT. (ALTERNATE IF ON FEDERAL SURFACE-AFTER ABANDONMENTS-ANY SPECIAL REHABILITATION AND/OR REVEGETATION REQUIREMENTS OF THE SURFACE MANAGEMENT AGENCY WILL BE COMPILED WITH AND ACCOMPLISHED AS EXPEDITIOUSLY AS POSSIBLE. ALL PITS SHOULD BE FILLED AND LEVELED WITHIN 90 DAYS AFTER ABANDONMENT.)

11. OTHER INFORMATION:

- A. TOPOGRAPHY: THE ALLUVIUM LOCATION IS SITUATED ON A GENERALLY UNDULATING PLAIN MARKED BY LOW- TO MEDIUM-SIZED HUMMOCKS AND DEFLATION BASINS. DEFLATION BASINS TEND TO BE ELONGATED AND OPEN ENDED.