

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

**NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

Form C-105
Revised 11-1-78

JAN 11 1980

5a. Indicate Type of Lease	
State ☒	Fee ☐
5. State Oil & Gas Lease No. L-3099	

1a. TYPE OF WELL	
OIL WELL ☐	GAS WELL ☒ DRY ☐ OTHER ☐
b. TYPE OF COMPLETION	
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐	PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

7. Unit Agreement Name Parkway West
8. Farm or Lease Name Parkway West Unit
9. Well No. 7

2. Name of Operator The Petroleum Corporation

3. Address of Operator 3303 Lee Parkway, Dallas, Texas 75219
--

4. Location of Well
UNIT LETTER C LOCATED 660 FEET FROM THE North LINE AND 1980 FEET FROM

10. Field and Pool, or Wildcat Undesignated West Parkway (Morrow)

THE West LINE OF SEC. 22 TWP. 19S RGE. 29E NMPM

12. County Eddy

15. Date Spudded 9-26-79	16. Date T.D. Reached 10-29-79	17. Date Compl. (Ready to Prod.) 12-11-79	18. Elevations (DF, RKB, RT, GR, etc.) 3325.6 GR	19. Elev. Casinghead 3325.6 GR
------------------------------------	--	---	--	--

20. Total Depth 11,600	21. Plug Back T.D. 11,377	22. If Multiple Compl., How Many	23. Intervals Drilled By Rotary Tools 0-11,600'	Cable Tools None
----------------------------------	-------------------------------------	----------------------------------	---	----------------------------

24. Producing Interval(s), of this completion - Top, Bottom, Name 11,298 to 11,377 feet - Morrow	25. Was Directional Survey Made No
--	--

26. Type Electric and Other Logs Run Dual laterolog micro-SFL with Gamma Ray Caliper Compensated Neutron Density Log, Cement Bond Log, Correlation Log	27. Was Well Cored No
--	---------------------------------

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8	48	365	17-1/2	635 sxs	None
8-5/8	24 & 32	3,095	12-1/4	1,900 sxs	None
4-1/2	13.5 & 11.6	11,524	7-7/8	875 sxs	None

29. LINER RECORD				30. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SIZE	DEPTH SET	PACKER SET
None				2-3/8	11,000	11,000

31. Perforation Record (Interval, size and number) Morrow - 11,462-11,466; 11,450-11,455; 11,346-11,350; 11,353-11,356; 11,280-11,286; 11,294-11,298 (Total of 56 shots)	32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL 11462-11466 1500 gals 7.5% MS acid 11450-11455 3000 gals 7.5% MS acid 11346-350 & 11353-356 2000 gals 7.5% MS acid
--	---

33. PRODUCTION							
Date First Production 12-11-79		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Shut-in	
Date of Test 12-11-79	Hours Tested 4 Hrs.	Choke Size 1/2	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF .65 MMCF	Water - Bbl.	Gas - Oil Ratio
Flow Tubing Press. 600	Casing Pressure NA	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF 3.9 MMCF	Water - Bbl. Trace	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented	Test Witnessed By J. Gleitman
---	---

35. List of Attachments logs, deviation survey
--

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.		
SIGNED Giant C Thayer	TITLE Chief Engineer	DATE 1/21/80

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 30 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon <u>9,970</u>	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn <u>10,245</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka <u>10,538</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>1356</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand <u>3543</u>	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs <u>4956</u>	T. Wingate _____	T. _____
T. Wolfcamp <u>Sh. 9038</u>	T. <u>Wolfcamp Lm. 9087</u>	T. Chinle _____	T. _____
T. Penn. _____	T. <u>Morrow 10,780</u>	T. Permian _____	T. _____
T. Cisco (Bough C) <u>9798</u>	T. <u>Morrow Clastics</u>	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 11,298 to 11,377 No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3, from _____ to _____ feet _____

No. 4, from _____ to _____ feet _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1356		Surface rock, red beds, salt & anhydrite				
1356	3543		Salt, anhydrite, dol. & lime				
3543	4956		Lime & sand				
4956	9038		Lime, shale & sand				
9038	TD		Lime, shale & sand				

DEVIATION SURVEY
FOR

PARKWAY WEST #7

NW/4, SECTION 22, T-19-S, R-29-E
EDDY COUNTY, NEW MEXICO

<u>DEPTH</u> <u>(FEET)</u>	<u>DEVIATION</u> <u>(DEGREES)</u>	<u>DEPTH</u> <u>(FEET)</u>	<u>DEVIATION</u> <u>(DEGREES)</u>
365	1/2	5,250	2-1/4
641	1	5,508	2
889	1-1/2	5,800	2-1/4
1,270	1-3/4	6,147	2-1/4
1,470	1-3/4	6,400	2-1/4
1,724	1-3/4	7,200	1-1/4
1,950	1-3/4	8,500	4-1/4
2,168	1-3/4	8,731	3-1/2
2,500	1-1/2	8,980	3-1/2
2,760	1-1/4	9,180	2-1/2
3,485	3/4	9,800	1-3/4
4,010	3/4	10,450	1-1/4
4,571	1-1/4	11,139	1/2
4,800	1-3/4	11,600	1/2
5,050	2-1/4		

B. E. Burton
B. E. BURTON, CONTRACT MANAGER

Sworn and subscribed to before me this 4th day of December 1979.

Marilyn Neatherlin
Marilyn Neatherlin, Notary Public
in and for Ector County, Texas