

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Galt & Lett.</u>		Lease <u>Greewood B D State</u>		Well # <u>2</u>	
Location of Well	Unit <u>E</u> <u>230N-990W</u>	Section <u>6</u>	Township <u>19</u>	Range <u>25</u>	County <u>Eddy</u>
Drilling Contractor	<u>Jalisco</u>		Type of Equipment <u>Letting to start approx. 10-1-79</u>		

* Witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>15"</u>	<u>10 3/4"</u>	<u>32.75</u>		<u>320</u>	<u>275 cwt.</u>
* <u>9 5/8"</u>	<u>7"</u>	<u>20</u>		<u>1000</u>	<u>500 "</u>
<u>6 1/4"</u>	<u>4 1/2"</u>	<u>9.5</u>		<u>3150</u>	<u>200 cwt.</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 9 1/2 Size of Casing 7 Sacks cement required _____

Type of Shoe used Guide Float collar used Insert Btm 3 jts welded Yes

TD of hole 968 Set 968 Feet of 7 Inch 23 # Grade K

~~New~~ Old csg. @ 968 with 100 sacks neat cement around shoe

+ 200 sax Hawco lite additives #6 Gisonite 1/4 Flo Seal + 2% cc

Plug down @ 7:00 (AM) (PM) Date 10-2-79

Cement circulated Yes No. of Sacks 30 SX

Cemented by Hawco Witnessed by B.W Weaver

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: Cement Basket @ 500 Drilling Break @ 880