

N. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG A NON-PRODUCING RESERVOIR.  
SEE APPLICATION FOR PERMIT - 111 (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
Name of Operator Amoco Production Company		
Address of Operator P. O. Box 68, Hobbs, NM 88240		
Location of Well UNIT LETTER <u>I</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>23</u> TOWNSHIP <u>19-S</u> RANGE <u>25-E</u> N.M.P.M.		

RECEIVED  
DEC 20 1979

7. Unit Agreement Name
8. Farm or Lease Name Parino Com.
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat Morrow
12. County Eddy

15. Elevation (Show whether DF, RT, GR, etc.)

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	DST #1 <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled to a TD of 9347' and ran DST #1. Drilled to a TD of 9660'. Request permission to plug and abandon by the following procedure:

- Spot 100 sx Class H cement plug from 9500'-9660'.
- Spot 100 sx Class H cement plug from 9180'-9380'.
- Spot 100 sx Class H cement plug from 8140'-8340'.
- Spot 100 sx Class H cement plug from 7618'-7818'.
- Spot 75 sx Class H cement plug from 6535'-6685'.
- Spot 75 sx Class H cement plug from 3775'-3925'.
- Set a cast iron bridge plug above 9-5/8" casing set at 2501' and cap with 35' cement.
- Spot a 50 sx Class H cement plug from 367'-467' in 9-5/8" casing. Spot 20 sx Class H cement surface plug and erect P x A marker.

I, I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Bob Davis</u>	TITLE <u>Assist. Admin. Analyst</u>	DATE <u>12-19-79</u>
APPROVED BY <u>W. A. Gressett</u>	TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>DEC 21 1979</u>

CONDITIONS OF APPROVAL, IF ANY:

0+4 NMOCD-A, 1-Hou, 1-Susp, 1-BD