N.M.O.G.D. COPPMIT IN TRICATE

Form approved.
Budget Bureau No. 42-R1425

UiviTE	ED S	STATI	ES
DEPARTMENT	OF	THE	INTERIOR

(Other instru-reverse side)


APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK In the tree was Drill B DEEPEN DRILL BEPEN DRILL BEPON DRILL BEPON DRILL BEPEN DRILL BEPON DRILL BEPEN DRILL BEPON DRILL BE DECEMBED DRILL BE D		البرا DEPARTMENT	TED STATE OF THE I	5	er instru. s on reverse side;	30 - 015 - 5. LEASE DESIGNATION	23.595 N AND SERIAL NO.
DEEPEN DEEPEN DISTANCE FROM PROPOSED LEAVING PROPOSED CASING AND CEMENTING PROGRAM IN THE OWNER DEEPEN DISTANCE PROPOSED CASING AND CEMENTING PROGRAM IN THE OWNER DEEPEN DISTANCE PROPOSED CASING AND CEMENTING PROGRAM IN THE OWNER DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN DEEPEN DEEP NO. P. WITH 3000\$ TEST. IN THE OWNER DEEPEN DEEP NO. P. DEEPEN DEEP NO. P. DEE		GEOLO	GICAL SURV	EY		LC-029392	(B)
DEEPEN DELIC BLOOK DELLE DEEPEN DEEPEN DELLE BLOOK DELLE BLOOK DELLE BLOOK DEEPEN DEEPEN DEEPEN DEEPEN DELLE BLOOK DEEPEN	APPLICATIO	n for permit 1	O DRILL,	DEEPEN, OR PL	UG BACK	6. IF INDIAN, ALLOTTI	EE OR THIBE NAME
ONLY ON THE STATE TO THE STATE OF THE STATE	la. TYPE OF WORK					7	
2. Make for offerance with a posterior in the proposed personal productive and which is a posterior of the proposed factor which is a posterior of the proposed factor which is a posterior of the proposed factor which is a posterior which is a posterior of the proposed productive of the proposed personal proposed personal productive of the proposed personal pers		ILL 🗵	DEEPEN	□ PLU	G BACK 📋	7. UNIT AGREEMENT	Name
Westall - Mask Notation of Personal Mask Notation of Well (Report Location Personal) New Mexico 88201 RECEIVED P.O. Drawer 1477, Roswell New Mexico 88201 RECEIVED At surface which they to be the closely and in decordance with any State requirements. At proposed prod. sole At proposed prod. sole At proposed prod. sole O. C. D. 12 Rec. 78, M. on Birk. Life Rec. 78, R. M. on Birk. Life		A8				S. FARM OR LEASE N	AME
Section of while (Report location clearly and in secondance with any State requirements.) P.O. Drawer 1477, Roswell, New Mexico 88201 RECEIVED P.O. Drawer 1477, Roswell, New Mexico 88201 RECEIVED At seriace 14 Colorate and 1650 FSL + 990 F E JAN 02 188 1. Base 18 Colorate and 11 Colorate and 1650 FSL + 990 F E JAN 02 188 1. Base 18 Colorate and		OTHER		ZONE	ZONE		1.0
P.O. Drawer 1477. Roswell. New Mexico 88201 RECEIVED 1. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.) At proposed prod. Zone At proposed prod. Zone At proposed prod. Zone 14. Distance in Miles and Disection From Nearest foun of rost Office. 15. Distance in Miles and Disection From Nearest foun of rost Office. 16. Distance in Miles and Disection From Nearest foun of rost Office. 17. OF Action in Miles and Disection From Nearest foun of rost Office. 18. Distance from From Nearest from Nearest foun of rost Office. 19. Distance from From Nearest from Nearest foun of rost Office. ARTESIA, OFFICE. 19. Distance from From Nearest from Nearest found of rost of ro	Westall - M	iask 🗸			4,	9. WELL NO.	lerar
P.O. Drawer 1477 Roswell New Mexico 98201 RECEIVED At location to water (Report locating and in accordance with any State requirements). At proposed pred. Some At proposed pred. Some At proposed pred. Some At proposed pred. Some 10. Sec. 26 - T18S-R31E 11. BEG. 73.8, M. OS BLK. 25. COLONT OR PARKET 18 MILES AND DIRECTION PROM NEAREST TOWN OR POST OFFICE. ARTESIA, OFFICE ARTESIA, OFFICE ARTESIA, OFFICE C. C. D. 12. COUNTY OR PARKET 18 STATE Eddy N. M. 13. BEG. 73.8, M. OS BLK. 25. COLONT OR PARKET 18 STATE Eddy N. M. 14. DISPANCE FROM PROPOSED LOCATION: 15. NO. OF ACRES IS IL REASE TO NUMBER WELL, DELLINE, COMPLETED, OR APPEND WELL, DELLINE, TO SKIED WELL, DELLINE, COMPLETED, OR APPEND WELL, DELLINE, TO SKIED WELL, DELLINE, COMPLETED, OR APPEND WELL, DELLINE, TO SKIED WELL, DELLINE, COMPLETED, OR APPEND WELL, DELLINE, TO SKIED WELL, DELLINE, COMPLETED, OR APPEND WELL, DELLINE, TO SKIED WELL, DELLINE, TO SKIE	3. ADDRESS OF OPERATOR			<i>'</i> ;		13-18	
At proposed prod. 2016 At pro	P.O. Drawer	1477, Roswe	ll, New M	exico 88201	RECEIVED		OR WILDCAT
At proposed prod sone 14. Dirtance in Miles and Direction from Nearest town or Post Office: 15. Dirtance in Miles and Direction from Nearest town or Post Office: 16. No. Of Acres in Lease 1.12. Count or Parished N. M. M. 16. Dirtance from Proposed in the fit acry: 16. No. Of Acres in Lease 1.12. Count or Parished N. M. M. 16. Dirtance from Proposed in N. M. 16. No. Of Acres in Lease 1.12. Count or Parished N. M. M. 16. No. Of Acres in Lease 1.12. Count of Parished N. M. M. 16. No. Of Acres in Lease 1.12. Count of Parished N. M. M. 17. No. Of Acres Associate 18. Dirtance from Proposed boardion* 19. Proposed boarding 11. No. Of Acres Associate 10. Rotary 12. Rotary 12. Rotary 13. No. Of Acres Associate 12. No. Of Acres Associate	4. LOCATION OF WELL (R	eport location clearly and	in accordance wi	th any State requiremen	ts.*)		
AL DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR FOST OFFICE: ARIESIA, OFFICE Sec 26 - T18S-R31E ARIESIA Sec 26 - T18S-R31E	200	FEL and 1650) FSL + 9	90 FEL	JAN 02 108	AND SURVEY OR A	BLK, REA
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE. ARTESIA, OFFICE N. M. 10. No. OF ACRES IN LEASE 17. No. OF ACRES ASSIGNED TO THIS WELL, 18. NO. OF ACRES ASSIGNED TO THIS WELL, 19. PROFOSED DEPTH 20. ROTARY OR CABLE TOULS ROTARY 10. NO. ACRES ASSIGNED TO THIS WELL, 11. NO. OF ACRES ASSIGNED TO THIS WELL, 12. OF ACRES ASSIGNED TO THIS WELL, 13. NO. OF ACRES IN LEASE 17. NO OF ACRES ASSIGNED TO THIS WELL, 18. OF ACRES TOULS ROTARY OR CABLE TOULS ROTARY 19. ROTARY OR CABLE TOULS ROTARY 19. APPROX. DATE WORK WILL STARY 19. APPROX. DATE WORK WILL STARY 11. 8 5/8 " 20# 650' ADPROX. 250 Scks. to circ. 7 7/8 4 1/2" 9.5# 4,200 ADPROX. 400 Scks. to circ. Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' No anticipated Starting date will proposed ace productive zone and proposed ace productive one. If proposal is to drill or deepen directionally, give perhaent data on subsurface locations and measured and true vertical deeths. Give bloom.	At proposed prod. zor	ie		,	erm or a loc	LLA L	
ARTESIA, OFFICE Eddy N.M. 10. DISTANCE FRODE FRODERST* INCORDING TO NEARST* INCORDING TO LEASE LINE, FT. IROUGHON LINE LINE LINE LINE IROUGHON LINE LINE LINE LINE LINE LINE LINE LIN	14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POS	T OFFICE.	-О. С. D.		
16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. of ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 16. No. ACRES IN LEASE 16. No. ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 16. No. ACRES IN LEASE ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 17. No. of ACRES ASSIGNED TO THIS WELL. 40 16. No. ACRES IN LEASE 17. No. of ACRES IN LEASE 17. No. of ACRES IN LEASE 17. No. of THE WELL. 17. No. of ACRES IN LEASE 17. No. of THE WELL. 17. No. of ACRES IN LEASE 17. No. of THE WELL BELLET TO THE WELL. 17. No. of THE WELL BELLET TO THE WELL BELLET TO THE WELL. 17. No. of THE WELL BELLET TO THE WELL BELLE	?				ARTESIA, OFFICE		1
Tops: Yates 2600' Queen 3400' Grayburg 4000' 16. PROPOSED FROGRAM: If proposal is to deepen or plug back, give data on present productive rone and proposed accurately and resourced and proposed solutions. 1. See productive rone and proposed accurately and the proposed solutions and measured and true vertical deepths. 1. See productive rone and proposed solutions and measured and true vertical deepths. 1. See productive rone and proposed solutions and measured and true vertical deepths. 1. See productive rone and proposed solutions and measured and true vertical deepths. 1. See productive rone and proposed solutions and measured and true vertical deepths. 1. See productive rone and proposed see productive rone. 1. Proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowest. 1. See productive rone and proposed see productive rone. 1. Proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowest 1. See productive rone and proposed see productive rone and				16. NO. OF ACRES IN I	21, 110, (OF ACRES ASSIGNED	11111
18. DISTANCE FROM PROPOSED LOCATION* TO NEMBERS WELL, BRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320 4200 ROTARY OR CABLE TOOLS ROTARY ROTARY 22. APPROX. DATE WORK WILL START* 1-81. 24. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT FER POOT STEPHING DEPTH A S 5/8 " 20# 650' Approx. 250 scks.to circ. 7 7/8 4 1/2" 9.5# 4,200 Approx. 400 scks. to circ Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N ABLYE SPACE DESCRIPE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive cone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout.	PROPERTY OR LEASE 1	LING, FT.	30 1	160	TO T		
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 3657.5 23. PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF HOLE SIZE OF CASING SIZE OF CASING SIZE OF CASING SIZE OF CASING SIZE OF HOLE SIZE OF CASING SIZE OF CASING WEIGHT PER POOT 11" 8 5 /8" 20 # 650' Approx. 250 scks.to circ. 7 7/8 4 1/2" 9.5# 4,200 Approx. 400 scks. to circ. Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N. ABLYE SPACE DESCRIPE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout.	18. DISTANCE FROM PROP	OSED LOCATION*		19. PROPOSED DEPTH	20. ROTA		
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE			L320	4200	***************************************		
PROPOSED CASING AND CEMENTING PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT 11" 8 5/8 " 20# 650 Approx. 250 scks.to circ. 7 7/8 4 1/2" 9.5# 4,200 Approx. 400 scks. to circ Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N. ABG VE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive cone. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive. If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowent		ether DF, RT, GR, etc.)				22. APPROX. DATE W	ORK WILL START
PROPOSED CASING AND CEMENTING PROGRAM Size of Hole Size of CASING WEIGHT PER POOT SETTING DEPTH QUANTITY OF CEMENT 11" 8 5/8" 20# 650' Approx. 250 scks.to circ. 7 7/8 4 1/2" 9.5# 4,200 Approx. 400 scks. to circ. Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' DEC 18 1980 U.S. GEOLUGICAL SURVEY ARTENA, NEW MEXICO N ABLYE SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive cone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout						1-31	
11" 8 5/8 " 20# 650' Approx. 250 scks.to circ. 7 7/8 4 1/2" 9.5# 4,200 Approx. 400 scks. to circ. Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N ABG. VE SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive code. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout	±0.	P	ROPOSED CASI	NG AND CEMENTING	PROGRAM	:-	
Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' NABICYE SPACE DESCRIEE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout		SIZE OF CASING	WEIGHT PER F	OOT SETTING DE	PTH	QUANTITY OF CEME	NT
Blowout Preventer will be Double Manual (Shaeffer) B.O.P. with 3000# Test. Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N. ABGVE SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blownet.		0 3/0	20#	650'	Appro	pprox. 250 scks.to circ	
Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' NARCY SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowner	7 7/8	4 1/2"	9.5#	4,200			
Mud Program - We will use fresh water to 650', then use salt gel to total depth No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' NARCY SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive one. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowner							
No anticipated abnormal pressure or temperatures. Anticipated starting date will be January 1981. Tops: Yates 2600' Queen 3400' Grayburg 4000' N. ABEVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive cone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout	Blowout Prev	enter will be	e Double .	Manual (Shae	ffer) B.O.	.P. with 300	0# Test.
Tops: Yates 2600' Queen 3400' Grayburg 4000' U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO N. ABG. VE. SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout		depth					
Tops: Yates 2600' Queen 3400' Grayburg 4000' U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO N. ABG. VE. SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout	No anticipat	ed abnormal p	ressure	or temperatu	res.	TO WE	_
U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO N. ABOVE SPACE DESCRIEZ PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout	Anticipated	starting date	will be	January 198	± •		
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout	Tops: Yates	2600' Queen	3400'	Grayburg 400	0	150 T 8 1880	
one. It proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout					U.S. (Arti	GEOLOGICAL SURVI E sia, New Mexico	EX
Richard E. Barton	proposal is to coreventer program, if any	drill or deepen directional	roposal is to deep ly, give pertinent	data on subsurface loca	itions and measured	active zone and propose and true vertical depti	ed new productive

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT


Form C-102 Supersedes C-128 Lifective 1-1-65

All distances must be	from the outer boundaries of the	Section	
Westall and Mask	Hinkle, Fe	deral	13 4
Township I 26 18S		runty	
I 26 18S	31E	Eddy	
990 feet from the East line one	1 1650 teet tr	South	
3657.5 Producing Formation.	thought 1.	6 2. 2 1 m	rates Alsonales 40 Alsona
1 Outline the acreage dedicated to the subject v			····
2 If more than one lease is dedicated to the we interest and royalty).	·		
3. If more than one lease of different ownership is dated by communitization, unitization, force-pool	ling. etc?		
Yes No If answer is "yes," type	of consolidation		
If answer is "no;" list the owners and tract des	scriptions which have actua	ally been consolidated.	the reverse side of
this form if necessary.)	11:	1-1 . 1 :	
No allowable will be assigned to the well until a forced-pooling, or otherwise) or until a non-standa sion.			
		CE	RTIFICATION
	HEAL D. KING		
	ETH MEXICO		that the information con-
1	65416		vledge and belief.
	((6541))	Richard E.	Rarton
		Personal R	epresentative
i	THE LAND SURTED	for the Es	tate of Jack Ma
1		Hacher	of E hain
	, , ;	Company Woodholl	Ma ala
	!	Westall	- mask
	i i	12-20	-80
1			fy that the well-location
RECEIVED			olat was plotted from field
_ = - :	E	# (a or octor	surveys made by me no
		under my super	l surveys made by me or vision, and that the same
DEC 1 8 1980	- 990' -	is true and co	vision, and that the same priect to the best of my
H.S. GEDLUGICAL SURVEY	990' :		vision, and that the same priect to the best of my
DEC 1 8 1980 U.S. GEOLOGICAL SURVEY	9990'-	is true and co	vision, and that the same priect to the best of my
H.S. GEDLUGICAL SURVEY		is true and continued to the surveyer in the s	vision, and that the same priect to the best of my belief
H.S. GEDLUGICAL SURVEY		is true and continued to the surveyer in the s	vision, and that the same priect to the best of my belief
H.S. GEDLUGICAL SURVEY		is true and control knowledge and Date Surveyed November	vision, and that the same priect to the best of my belief 29 s 1980 sational Engineer
H.S. GEDLUGICAL SURVEY		is true and control knowledge and Date Surveyed November Registered Fix fee	vision, and that the same priect to the best of my belief 29 s 1980 sational Engineer

Eshodule



Schedule - 2



DEVELOPMENT PLAN FOR SURFACE USE

WESTALL AND MASK, ROSWELL NM 88201