

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐  
well well

2. NAME OF OPERATOR

Amoco Production Company ✓

3. ADDRESS OF OPERATOR

P. O. Box 68 Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 990' FSL X 1980 FWL, Sec. 3  
AT TOP PROD. INTERVAL: (Unit N, SE/4, SW/4)  
AT TOTAL DEPTH:


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

☐  
☐  
☒  
☐  
☐  
☐  
☐  
☐



5. LEASE

NM-6026

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

RECEIVED

7. UNIT AGREEMENT NAME

MAY 13 1981

8. FARM OR LEASE NAME

Federal BV

O. C. D.

9. WELL NO.

1

ARTESIA OFFICE

10. FIELD OR WILDCAT NAME

30/5 Und. Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

3-19-24

12. COUNTY OR PARISH

Eddy

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3678.4 GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Flow test for 3 days and recovered an average of 628 MCFD X 2 bbl.  
condensate X 3 bbl. load water. Moved in service unit 4-20-81.  
Pulled tubing, packer, and vann guns. Ran tubing and packer.  
Packer set at 8513'. Fraced with 45000 gal. 5% MS pad with 11,000#  
100 mesh sand and 47000# 10/20 sand. Resumed flow testing.

0+5-USGS, A 1-Hou 1-Susp 1-W. Stafford, Hou 1-LBG 1-Coquina  
1-HNG 1-Perry 1-Yates, A. 1-Read X Stevens 1-Abby Corp.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Benton Greer

TITLE Assist. Admin. Analyst

5-5-81

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

ROGER A. CHAPMAN

TITLE

DATE

MAY 11 1981

U.S. GEOLOGICAL SURVEY See Instructions on Reverse Side  
NEW MEXICO