

Form 9-331  
Dec. 1973Form Approved.  
Budget Bureau No. 42-R1424

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other ☐

2. NAME OF OPERATOR  
Amoco Production Company

3. ADDRESS OF OPERATOR  
P. O. Box 68 Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FSL & 990' FEL, Sec. 4  
AT TOP PROD. INTERVAL: (Unit I, NE/4, SE/4)  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

5. LEASE  
NM-13396

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME **RECEIVED**

8. FARM OR LEASE NAME **MAY 13 1981**  
Federal CC

9. WELL NO. **O. C. D.**  
1

10. FIELD OR WILDCAT NAME **ARTESIA, OFFICE**  
Und. Morrow


11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
4-19-24

12. COUNTY OR PARISH **Eddy** 13. STATE **NM**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3262' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled to a TD of 8724'. Ran 8703' of 5-1/2" 17# K-55 casing and set at 8724'. Cemented with 1475 sacks lite with additives and 625 sacks Class H. Plug down at 5:00 a.m. 3-29-81. Ran temperature survey and TCMT 1375'. Waiting on completion unit.

0+5-USGS, A 1-Hou 1-Susp 1-GPM 1-W. Stafford, Hou 1-HNG  
1-Read X Stevens 1-Pennzoil 1-Yates, A 1-Abbey Corp. 1-Coquina  
1-Perry Gas, O 1-Patrick Petro., M

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Reg Mitchell* TITLE Admin. Analyst DATE 5-7-81

ACCEPTED FOR RECORD  
ROGER A. CHAPMAN

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

**MAY 11 1981**

U.S. GEOLOGICAL SURVEY  
1105 BUREAU NEW MEXICO

\*See Instructions on Reverse Side