

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

RECEIVED

JUL 7 1981

O. C. D.  
ARTESIA, OFFICE

Form C-103  
Revised 10-1-78

5a. Indicate Type of Lease  
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☐ GAS WELL ☒ OTHER ☐

Name of Operator

Yates Petroleum Corporation

Address of Operator

207 South 4th St., Artesia, NM 88210

Location of Well

UNIT LETTER A 990 FEET FROM THE North LINE AND 660 FEET FROM

THE East LINE, SECTION 11 TOWNSHIP 19S RANGE 25E NMPM.

7. Unit Agreement Name

8. Farm or Lease Name

Rio Penasco "KD" Com

9. Well No.

3

10. Field and Pool, or Wildcat

Boyd Morrow

15. Elevation (Show whether DF, RT, GR, etc.)

3416' GR

12. County

Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐

CHANGE PLANS ☐

CASING TEST AND CEMENT JOB ☐

OTHER Production Casing

☒

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

TD 9360'. Ran 218 jts. of 5-1/2" 17# & 15.5# N-80 & K-55 casing as follows:  
20 jts. of 5-1/2" 17# N-80 LT&C (838.13'); 46 jts. of 5-1/2" 17# K-55 LT&C  
(1974.66'); 112 jts. of 5-1/2" 15.5# K-55 ST&C (4871.19'); 18 jts. of 5-1/2"  
15.5# K-55 LT&C (733.58'); 22 jts. of 5-1/2" 17# K-55 LT&C (991.71') (Total  
9367.22') of casing set at 9360'. 1-regular pattern guide shoe at 9360'.  
Diff-fill collar at 9318'. Cemented w/475 sacks 50-50 Poz (H), .7% CF-9, 2%  
KCL, 100 sacks Class "H", 1.25% CF-9 and 3% KCL. PD 7:00 AM 7-4-81. Bumped  
plug to 1500 psi, released pressure and float held okay. WOC.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Joe Santa Rosa

TITLE Engineering Secretary

DATE 7-7-81

APPROVED BY P. A. Gressitt

TITLE SUPERVISOR, DISTRICT 2

DATE JUL 14 1981

CONDITIONS OF APPROVAL, IF ANY: