

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. L-1493
7. Unit Agreement Name
8. Farm or Lease Name Parkway "C" State Com
9. Well No. 1
10. Field and Pool, or Wildcat Undesignated (Atoka)
12. County Eddy

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator
Southland Royalty Company /

3. Address of Operator
1100 Wall Towers West Midland, Texas 79701

4. Location of Well
UNIT LETTER F 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 15 TOWNSHIP 19-S RANGE 29-E NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
3339.1' GR

RECEIVED

SEP 16 1981

O. C. D.
ARTESIA OFFICE

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Set 5 1/2" production csg <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drill 7 7/8" hole to 10,850'. CCM to run csg. Ran 262 jts 5 1/2" 17# S-95, N-80 & K-55 LT&C & ST&C csg (10,885'). Set @ 10,848'. Cmt w/850 sxs Cl "H" cmt. PD @ 8:20 am 9/5/81. WOC 18 hrs. Compressive strength of Cl "H" cmt after 24 hrs is 6700 psi @ 170°F. List of csg as follows:

Top	2620'	5 1/2" 17# N-80 LT&C
	3978'	5 1/2" 17# K-55 ST&C
	3251'	5 1/2" 17# N-80 LT&C
Bottom	999'	5 1/2" 17# S-95 LT&C
Total	10,848'	

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ray D. Ker TITLE Engineer Tech DATE 9/14/81

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE SEP 18 1981

CONDITIONS OF APPROVAL, IF ANY: