

Cur.

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-24091
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. V-391
7. Lease Name or Unit Agreement Name Exxon State
8. Well No. 1
9. Pool name or Wildcat Cemetery (Morrow)
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3,422 G.R.

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER	2. Name of Operator Santa Fe Exploration Company	3. Address of Operator 201 W. 3rd, Roswell, NM 88201
4. Well Location Unit Letter <u>L</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>660</u> Feet From The <u>West</u> Line Section <u>2</u> Township <u>20 South</u> Range <u>25 East</u> NMPM <u>Eddy</u> County	10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3,422 G.R.	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	SUBSEQUENT REPORT OF:
NOTICE OF INTENTION TO:	
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SEE WELLBORE DIAGRAM ATTACHED

Set CIBP at 9400' w/35' cmt on top.
Cut 4½" csg. at 8600'± and salvage.
Set 100' plug at 4½" stub with 50' in and 50' out. TAG
Set 100' plug at 6690-6590'
Set 100' plug at 3700-3600'
Set 100' plug at 1400-1300' (across 8 5/8" shoe) TAG
Set 100' plug at 400-300' (across 13 3/8" shoe)
Set 10 sx surface plug with dry hole marker
Circ. 10# mud between all plugs.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Richard C. Gilliland TITLE Agent DATE 10/8/97

TYPE OR PRINT NAME Richard C. Gilliland TELEPHONE NO 505-623-9799

(This space for State Use)
ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE NOV 20 1997

CONDITIONS OF APPROVAL, IF ANY:

WELL: EXXON STATE COMM #1

DATE: 09/02/94


LOCATION: 1,980' PSL & 660' FWL
UNIT L, SEC 2, T20S, R25E
COUNTY, STATE: EDDY, NEW MEXICO

OPERATOR: SPEC
KB ELEV.:
GR ELEV.: 3422'

API #: 30-015-24091
FILE: EXXON-ST.WBD

WELLBORE DIAGRAM

(FLOWING GAS)



HOLE: 17-1/2"
CSG.: 13-3/8", 48#, H-40
SET AT 342'
CMT.: 375 SX + 250 SX W/ 1"
TOC: CIRC.

HOLE: 12-1/4"
CSG.: 8-5/8", 24#, K-55 SET
AT 1350'
CMT.: 750 SX
TOC: CIRC.

TBG.: 2-3/8", 4.7#, N-80
SN AT 9310'
PKR.: 4-1/2" BAKER LOCKSET
SET AT 9280'

===== 4-1/2" X 2-3/8" PACKER

PERFS: 9440-559'
(1 JSPP)

TD: 9850'
PBTD: 9756'

HOLE: 7-7/8"
CSG.: 4-1/2", 11.6#, N-80
SET AT 9850'
CMT.: 400 SX
TOC: 8640' (TEMP SURV)

PULLING/WORKOVER HISTORY

DATE

DESCRIPTION

03/83 COMPLETED IN MORROW FORMATION. PERPED 9440, 43, 46, 49, 51, 61, 63, 65, 67, 69, 95, 97, 99, 9503, 05, 09, 11, 41, 45, 47, 51, 55, 57 & 59. 1 JSPP FOR 24 HOLES. ACIDIZE 9440-469' W/ 2800 GAL 7.5% + 1000 SCF NITRGEN. ACIDIZE 9495-559' W/ 2000 GAL 7.5% + 1000 SCF NITRGEN. PRAC 9440-559' W/ 30,000 GAL AND 23,500# 20/40 SAND. IP FLOWING @ BOPD, 741 MCFGPD & @ BWPD W/ 2443# FTP.

06/88 INSTALL INTERMETER TO BUILD PRESSURE TO ENTER SALES LINE. AVERAGE FTP APPROXIMATELY 595# AND AVERAGE LINE PRESSURE APPROXIMATELY 615#.

01/93 SHUT WELL IN. UNABLE TO ENTER SALES LINE.

01/94 RIH W/ WIRELINE TO TAG FOR FILL. FOUND FILL AT APPROXIMATELY 9591' FROM GROUND LEVEL. TOP OF FLUID ESTIMATED AT APPROXIMATELY 4800' FROM SURFACE. SI WELLHEAD PRESSURE REPORTEDLY @ APPROXIMATELY 1470#.