

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
YATES PETROLEUM CORPORATION ✓

3. Address and Telephone No.
105 S. 4th Street, Artesia, NM 88210 (505) 748-1471

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FSL & 1980' FEL, Sec. 21-19S-24E

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
Emma QE Com #2

9. API Well No.
30-015-24096

10. Field and Pool, or Exploratory Area
Und. Cisco

11. County or Parish, State
Eddy, New Mexico

RECEIVED

NOV 26 1992

O.C.D.

105 S. 4th Street

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☒ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Yates Petroleum Corporation is submitting application for produced water from the above well pursuant to NTL-2B, Section II, and requests your approval. The well produces approximately 1 bbl of water per month from the Canyon formation. The water is stored in a 210 barrel stock tank and transported by O.K. Hot Oil or Jim's Water Service to the State "CO" SWD Gathering System which consists of 9 disposal wells (see attachment 1).

A water analysis is attached.

14. I hereby certify that the foregoing is true and correct

Signed

Amy Laman

Title Production Clerk

Date 11-19-92

(This space for Federal or State office use)

Approved by

Title

Date

11/24/92

Conditions of approval, if any:

- SEE ATTACHED.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

BUREAU OF LAND MANAGEMENT
CARLSBAD RESOURCE AREA

Disposal of Produced Water From Federal Wells

Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

1. This agency be notified of any change in your method or location of disposal.
2. Compliance with all provisions of NTL-2B.
3. This agency shall be notified of any spill or discharge as required by NTL-3A.
4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
5. All aboveground structures on the lease shall be painted sandstone brown, Federal Std. 595-20318, or 30318, within 90 days if you have not already done so.
6. Any on lease open top storage tanks shall be covered with a wire screen to prevent entry by birds and other wildlife.
7. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
8. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.

ATTACHMENT #1

YATES PETROLEUM CORPORATION - STATE "CO" SWD DISPOSAL SYSTEM

The Yates State "CO" SWD water gathering system consists of nine (9) salt water injection wells approved for disposal of produced water. The nine (9) wells are listed below:

STATE "CO" #1, NE 1/4 SW 1/4, Section 36-T19S-R24E, Eddy County, NM
INJECTION INTERVAL: 10038 -11311' Devonian
APPROVED BY NMOCD ORDER NO. SWD-285

COTTON "MX" FEDERAL #1, NE 1/4 NW 1/4 Section 14-T19S-R25E, Eddy County, NM
INJECTION INTERVAL: 7686-7710' Canyon
APPROVED BY NMOCD ORDER NO. SWD-370

DONAHUE FEDERAL #1, SW 1/4 NW 1/4, Section 10-T20S-R24E, Eddy County, NM
INJECTION INTERVAL: 4296-4596' Abo
APPROVED BY NMOCD ORDER NO. SWD-377

STATE "D" #1, SE 1/4 SW 1/4, Section 16-T20S-R24E, Eddy County, NM
INJECTION INTERVAL: 9723-11052' Devonian - Bliss
APPROVED BY NMOCD ORDER NO. SWD-395

ROY AET #3, SE 1/4 SE 1/4, Section 7-T19S-R25E, Eddy County, NM
INJECTION INTERVAL: 9766-11110' Devonian and Ellenburger
APPROVED BY NMOCD ORDER NO. SWD-437

ROUTH NU #2, NW 1/4 NE 1/4, Section 14-T19S-R24E, Eddy County, NM
INJECTION INTERVAL: 8810-8878' Morrow
APPROVED BY NMOCD ORDER NO. SWD-399

MIMOSA AHS FEDERAL #1, NE 1/4 SE 1/4, Section 4-T20S-R24E, Eddy County, NM
INJECTION INTERVAL: 9515-11011' Mississippian, Devonian, Ellenburger
APPROVED BY NMOCD ORDER NO. SWD-408

MIMOSA AHS FEDERAL #4, SE 1/4 SW 1/4, Section 4-T20S-R24E, Eddy County, NM
INJECTION INTERVAL: 9860-11159' Devonian, Ellenburger and Bliss Sand
APPROVED BY NMOCD ORDER NO. SWD-476

HUMBLE SWD #1, SE 1/4 SE 1/4, Section 24-T20S-R24E, Eddy County, NM
INJECTION INTERVAL: 9600-11580' Ellenburger and Devonian (Open Hole)
APPROVED BY NMOCD ORDER NO. SWD-434

TRETOLITE®

Chemicals and Services

PETROLITE

16010 Barker's Point Lane • Houston, Texas 77079
713 558-5200 • Telex: 4620346 • FAX: 713 589-4737

Reply to: P.O. Box FF
Artesia, New Mexico 88210
(505) 746-3588 Phone
(505) 746-3580 Fax

WATER ANALYSIS REPORT

Company : YATES PETROLEUM
Address : ARTESIA, NEW MEXICO
Lease : EMMA "QE" COMM.
Well : #2
Sample Pt. :

Date : 11/09/92
Date Sampled : 10/22/92
Analysis No. : 230

ANALYSIS		mg/L	* meq/L
-----		----	-----
1.	pH	4.8	
2.	H ₂ S	3 PPM	
3.	Specific Gravity	1.000	
4.	Total Dissolved Solids	88116.2	
5.	Suspended Solids	NR	
6.	Dissolved Oxygen	NR	
7.	Dissolved CO ₂	NR	
8.	Oil In Water	NR	
9.	Phenolphthalein Alkalinity (CaCO ₃)		
10.	Methyl Orange Alkalinity (CaCO ₃)		
11.	Bicarbonate	HCO ₃ 12.0	HCO ₃ 0.2
12.	Chloride	Cl 56445.0	Cl 1592.2
13.	Sulfate	SO ₄ 1250.0	SO ₄ 26.0
14.	Calcium	Ca 6160.0	Ca 307.4
15.	Magnesium	Mg 6610.5	Mg 543.8
16.	Sodium (calculated)	Na 17638.8	Na 767.2
17.	Iron	Fe 0.0	
18.	Barium	Ba 0.0	
19.	Strontium	Sr 0.0	
20.	Total Hardness (CaCO ₃)	42600.0	

PROBABLE MINERAL COMPOSITION

*milli equivalents per Liter				Compound Equiv wt X meq/L = mg/L			
+-----+				-----+			
307	*Ca <-----	*HCO3	0	Ca(HCO3)2	81.0	0.2	16
-----	/----->		-----	CaSO4	68.1	26.0	1772
544	*Mg ----->	*SO4	26	CaCl2	55.5	281.2	15601
-----	<----->/		-----	Mg(HCO3)2	73.2		
767	*Na ----->	*Cl	1592	MgSO4	60.2		
+-----+				-----+			
Saturation Values Dist. Water 20 C				MgCl2	47.6	543.8	25890
CaCO3							

REMARKS:

----- L. MALLET / FILE

Petrolite Oilfield Chemicals Group

Respectfully submitted,
STEVE TIGERT