

015r

RECEIVED

RECEIVED

FEB 15 1993

Form 3160-5
(June 1990)

FEB 4 11 00 AM '93

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

O. C. D.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NMA32594

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Federal "18" No. 1

9. API Well No.

30-015-24136

10. Field and Pool, or Exploratory (Morrow)

North Lake McMillan

11. County or Parish, State

Eddy, New Mexico

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Robert N. Enfield

3. Address and Telephone No.
P. O. Box 2431, Santa Fe, New Mexico 87501

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FNL & 660' FEL of Sec. 18, T-19-S, R-27-E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Plugging operations began January 8, 1993 and was completed on January 15, 1993. Plugs were set as follows:

CIBP set at 9600' Capped with 36' of cement above perforations 9685' to 9769' Top of cement at 9564'
9564' to 7850' 10* brine water containing 25*/sack salt gel.
CIBP set at 7850' Above squeezed perforations 7906' to 7908' (not required) Capped with 36' of cement on top Top of cement at 7814'.
7814' to 5692' 10* brine water containing 25*/sack salt gel.
5692' to 5572' 120' of cement (30 sacks) across 5-1/2" casing stub, (70' in side top of 5-1/2" casing stub and 50' in open hole. Tagged cement at 5572'.
5572' to 2250' 10* brine water containing 25*/sack salt gel, and drilling mud.
2250' to 2140' 110' (50 sacks) cement across 8-5/8" casing shoe at 2200', tagged and witnessed by Cathy Queen with the BLM.
2140' to 2040' 35 sacks (100') cement plug, (this plug was not required by the BLM but ordered by Jim O'Briant)
2040' to 366' 10* brine water containing 25*/sack salt gel, and drilling mud.
366' to 238' 40 sacks (128') cement across 13-3/8" casing shoe at 300'.
238' to 96' 10* brine water containing 25*/sack salt gel, and drilling mud.
96' to surface 35 sack surface plug.

Cut And Pulled 5622 Feet 5 1/2 Inch Casing.

Installed dry hole marker and cut off anchors. Cleaned location. Cellar and working pit closed and buried.
Some equipment on location still to be moved. Will notify the BLM when location is ready for inspection.

14. I hereby certify that the foregoing is true and correct

Signed David R. Glass

Title Agent for Robert N. Enfield

Date 2/2/93

(This space for Federal or State office use)

Approved by (ORIG. SGD.) DAVID R. GLASS

Title Special Agent in Charge

Date 2-10-93

Conditions of approval, if any:

Approved as to plugging of the well bore.
Liability under bond is retained until
surface restoration is completed

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.