

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Collier Energy Inc</i>		Lease <i>Roy</i>		Well # <i>1</i>	
Location of Well	Unit <i>H</i>	Section <i>23</i>	Township <i>19</i>	Range <i>27</i>	County <i>Eddy</i>
Drilling Contractor	<i>C + Z Drilling</i>		Type of Equipment <i>C.T.</i>		

* Witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
* <i>10 3/4</i>	<i>8 5/8</i>	<i>20 #</i>		<i>280'</i>	<i>100 Sx.</i>
<i>8</i>	<i>4 1/2</i>	<i>9.5 #</i>		<i>2000'</i>	<i>250 Sx</i>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected)

Inspected by _____ date _____

Cementing Program

Size of hole _____ Size of Casing _____ Sacks cement required _____

Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____

TD of hole *285* Set *287* Feet of *8 5/8* Inch *20* # Grade *J-55*

New-~~used~~ csg. @ *287* with *100* sacks neat cement around shoe

+ _____ sax _____ additives _____

Plug down @ *11:45* (AM) (PM) Date *9-2-82*

Cement circulated *NO* No. of Sacks _____

Cemented by *Denton* Witnessed by *B.W. Weaver*

Temp. Survey ran @ *7:00* (AM) (PM) Date *9-2-82* sp cement @ *200*

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: *Water Zone @ 60 to 75 165 to 175*

9-17-82 Ran 1" to 160 ft and Circulated Cement to Surface 75 SX Class C 3% CC