

C/SF

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill, deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
Chama Petroleum Company

3. ADDRESS OF OPERATOR
5447 Glen Lakes Dr., Dallas, Texas 75231

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1650' FNL & 1980' FEL of Sec. 3

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

SUBSEQUENT REPORT OF:

(other) Drilling Activity

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11-2-82: Circulating at 9650', M.W. 9.3, Vis. 40, W.L. 5, PH 9.5, Chlorides 61,000, 1/32 filter cake, 19 drill collars in hole

11-3-82: Laying down drill pipe at 9650' T.D., M.W. 9.3, W.L. 5, Vis. 40, PH 10, Chlorides 60,000, 1/32 filter cake

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED David R. Glass TITLE Prod. Secretary DATE November 3, 1982

ACCEPTED FOR RECORD

(This space for Federal or State office use)

(ORIG. SGD.) DAVID R. GLASS

APPROVED BY _____
CONDITIONS OF APPROVAL _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

--See Instructions on Reverse Side

5. LEASE NM-14758
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME RECEIVED
8. FARM OR LEASE NAME Huber Federal NOV 10 1982
9. WELL NO. #2 O. C. D.
10. FIELD OR WILDCAT NAME ARTESIA, OFFICE Undesignated; Morrow
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 3, T-20-S, R-25-E
12. COUNTY OR PARISH Eddy 13. STATE New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD) 3465.2' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Drawer DD
Artesia, NM 88210

5. LEASE

NM-14758

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

RECEIVED

7. UNIT AGREEMENT NAME

NOV 10 1982

8. FARM OR LEASE NAME

Huber Federal O. C. D.

9. WELL NO.

#2

ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME

Undesignated Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 3, T-20-S, R-25-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3465.2' GR

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

NOV 8 1982

1. oil well ☐ gas well ☒ other

OIL & GAS

2. NAME OF OPERATOR

Chama Petroleum Company

MINERALS MGMT. SERVICE
ROSWELL, NEW MEXICO

3. ADDRESS OF OPERATOR

5447 Glen Lakes Dr., Dallas, Texas 75231

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1650' FNL & 1980' FEL of Sec. 3

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Drilling Activity

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-30-82: Drilling at 9585', made 120' in last 24 hrs., drilling at 4-5' per hr., Bit #8 has made 404' in 68 1/2 hrs., Pump Pressure 1400, Strokes 92, RPM 60, Wt. on Bit 45,000, M.W. 9.2, W.L. 6, Vis. 37, PH 10.5, Chlorides 75,000, 1/32 filter cake, 19 drill collars in hole

10-31-82: Logging at 9650' T.D., made 65' in last 24 hrs., drilling at 5' per hr., Bit #8 has made 469' in 80 1/2 hrs., Pump Pressure 1400, Strokes 92, RPM 60, Wt. on Bit 45,000, M.W. 9.2, W.L. 5, Vis. 40, PH 10, Chlorides 61,000, 1/32 filter cake, 19 drill collars in hole, Totco at 9650' was 2 3/4"

11-1-82: Logging at 9650', M.W. 9.3, W.L. 4, Vis. 46, PH 9.5, Chlorides 61,000, 1/32 filter cake, 19 drill collars in hole

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE _____ DATE _____

ACCEPTED FOR RECORD

(ORIG. SGD.) DAVID R. GLASS
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL: NOV 8 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side