

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501
DEC 09 1983
O. C. D.
ARTESIA, OFFICE

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
V-842	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator	NA
3. Address of Operator	8. Farm or Lease Name
1140 2 First City Center, Midland, Texas 79701	Luxury Yacht
4. Location of Well	9. Well No.
UNIT LETTER B 330 FEET FROM THE North LINE AND 1980 FEET FROM	1
THE East LINE, SECTION 32 TOWNSHIP 19 S RANGE 31 E NMPM.	10. Field and Pool, or Wildcat
	North Hackberry-Y-SR
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
3488.8'	Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

1. Drilled 12-1/4" hole to 634'. Set 8-5/8" 20# csg @ 634' & cemented with 450 sx Class C W/2% CaCl₂ & 1/4# celloseal. Bumped plug @ 11:45a.m. 9-30-83. Circ 160 sx cmt to surface.
2. Drilled 7-7/8" hole to 2200'. Cored from 2200'-2263'.
3. Set 5-1/2" 15.5# & 17# csg @ 2263' & cemented with 250 sx Pacesetter Lite w/5# salt followed by 150 sx Class C 50:50:2 pozmix w/3# salt. Bumped plug @ 12:00 noon 10-4-83.
4. Ran electric logs & perf Yates @ 2250'-57'. Acidized w/500 gal & frac w/20,000 gal water plus 52,000# sand.
5. Swab tested Yates perfs w/no show of oil or gas.
6. Drilled 4-3/4" hole below 5-1/2" csg to 2289'.
7. Acidized Yates open hole w/500 gal & frac w/40,000 gal water plus 120,000# sand.
8. Swab tested Yates perfs w/no show of oil or gas.

Continued on attached page.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Mickey Nelson TITLE Operations Manager DATE 12-8-83

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: