

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	
LAND OFFICE	
OPERATOR	<input checked="" type="checkbox"/>

RECEIVED BY
NEW MEXICO OIL CONSERVATION COMMISSION
JUN 14 1985
O. C. D.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-85

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
B-8096

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name N/A
2. Name of Operator Mitchell Energy Corporation	8. Farm or Lease Name Conoco -7- State
3. Address of Operator P. O. Box 4000, The Woodlands, Texas 77387-4000	9. Well No. 12
4. Location of Well UNIT LETTER K ; 1980 FEET FROM THE West LINE AND 1880 FEET FROM THE South LINE, SECTION 7 TOWNSHIP 19-S RANGE 29-E NMPM.	10. Field and Pool, or Wildcat East Millman -B- G
15. Elevation (Show whether DF, RT, GR, etc.) 3375' G.L.	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) set cast iron bridge plug at 2625'
- 2) perforate the Premier Sand at 2542' to 2590' with one shot per foot
- 3) acidize with 5000 gallons

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Carol J. Miller</u> Carol J. Miller	TITLE Regulatory Affairs Clerk	DATE June 11, 1985
Original Signed By <u>Les A. Clements</u>	TITLE	DATE JUN 17 1985
APPROVED BY	TITLE	DATE