

RECEIVED BY

APR 16 1985

O. C. D.
ARTESIA, OFFICE

UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR

Ray Westall

3. ADDRESS OF OPERATOR

P.O. Box 4 Loco Hills, NM 88255

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: Unit Letter A 990 N. 330 E. E. L.

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON* ☐

(other) Spud, 8 5/8", T.D., 52"

SUBSEQUENT REPORT OF:

5. LEASE NM-28325

EC 031874

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Parsley Fed.

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Und Hackberry - 1/5 - SR

11. SEC., T., R., M., OR BLK/AND SURVEY OR AREA

Sec. 20, T19S, R31E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3460. GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

3-29-85 Spud well with 12 1/2" bit @ 8:15 A.M.

Ran 9 jts. 24# J-55 8 5/8" csg. Set & cemented @ 351' w/230 sxs Class "C" 2% CC. Plug down @ 4:00 P.M. Circulated 75 sxs to surface. WOC 18 hrs. Tested BOP to 1,000# for 30 min. Held.

3-30-85 Bit #2 7 7/8"

4-1-85 TD @ 2425'.

Ran 74 jts. 2425' J-55 15.5# 5 1/2" csg. Cemented w/300 sxs Halliburton Lite & 100 sxs Class "C". Circulated 50 sxs. Plug down @ 11:30 P.M. WOC 24 hrs.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Operator

DATE

4-12-85

(This space for Federal or State office use)

APPROVED BY

ACCEPTED FOR RECORD

TITLE

DATE

CONDITIONS OF APPROVAL IF ANY

APR 15 1985

*See instructions on Reverse Side

CARLSBAD, NEW MEXICO