

RECEIVED BY
Form 9-839
(Rev. 8-83)
NOV 20 1985
O. C. D.

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
Artesia, NM 88210

SUBMIT IN DUPL. E*

Form approved
Budget Bureau No. 42-2355.8

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

2. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

3. NAME OF OPERATOR

Siete Oil & Gas Corporation

4. ADDRESS OF OPERATOR

P.O. Box 2523, Roswell, NM 88201

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1850' FNL, 2310' FEL

At top prod. interval reported below same

At total depth same

14. PERMIT NO.

DATE ISSUED

6. LEASE DESIGNATION AND SERIAL NO.

LC-029392B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT SCREENING NAME

8. FARM OR LEASE NAME

Scottsdale Federal

9. WELL NO.

#3

10. FIELD AND POOL, OR WILDCAT

Shugart, TR, R, G

11. SEC. T., R., M. OR BLOCK AND SURVEY OR AREA

Sec: 27, T-18-S, R-31-E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

15. DATE SPUDDED

06/16/85

16. DATE T.D. REACHED

06/27/85

17. DATE COMPL. (Ready to prod.)

07/03/85

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)

3627' GR

19. ELEV. CASINGHEAD

3629'

20. TOTAL DEPTH, MD & TVD

4500'

21. PLUG, BACK T.D., MD & TVD

4489'

22. IF MULTIPLE COMPL., HOW MANY*

2

23. INTERVALS DRILLED BY

ROTARY TOOLS

4500'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3940' to 3952' Premier

3674' to 3591' Penrose

25. WAS DIRECTIONAL SURVEY MADE

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL, LDT, GR, Caliper, DLL, MSFL, Cyberlook, - Schlumberger

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	54#	355'	17 1/2"	400 sxs "C" 2% CaCl ₂	N/A
5 1/2"	15.5#	4500'	7 7/8"	2400 sxs "C" Lite W	N/A

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACER SET (MD)
2 3/8"	3910'	N/A

31. PERFORATION RECORD (Interval, size and number)

3940' to 3952' 9 perfs

3574' to 3591' 10 perfs

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3940' to 3952'	1500 gal 15% HCL Acid
3574' to 3591'	2000 gal 15% HCL Acid
	40000 gal crosslink 30000 20/40
	43000 12/20 sand

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
07/16/85		Pumping Jensen 114				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
07/16/85	24	N/A	→	37	5 (est)	223	135/1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→	37	5 (est)	223		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

NOV 18 1985

35. LIST OF ATTACHMENTS

NM forms C-116 - C-124 - 2 copies Schlumberger Logs - Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

H. D. Justice

TITLE

Consultant

DATE

11/07/85

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.


If not filed prior to the time this summary report is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Yates	2445'				
Seven Rivers	2630'				
Powers	3060'				
Queen	3320'				
Pearose	3570'				
Grayburg	3775'				
Premier	3940'				
San Andres	3965'				
Cherry Canyon	4110'				

L & M DRILLING, INC. — Oil Well Drilling ContractorsP. O. BOX ~~522~~ / ARTESIA, NEW MEXICO 88210
470


Siete Oil & Gas ✓
PO Box 2523
Roswell, NM 88201

June 30, 1985

Re: Scottsdale #3
Sec. 27, T18S, R31E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
355'	1°
813'	1°
1407'	1°
1967'	1°
2486'	1°
3122'	1°
3715'	3/4°
4215'	3/4°
4500'	1°


Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 30th day of June, 1985.



REGINIA L. GARNER
NOTARY PUBLIC

