

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
811 S. 1st Street
Artesia, NM 87021-2834

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-26057

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Altwein B Fed Com #1

9. API Well No.

30-015-25404

10. Field and Pool, or Exploratory Area

Und. Atoka-Morrow

11. County or Parish, State

Eddy Co., NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

YATES PETROLEUM CORPORATION

(505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL & 1980' FWL of Section 12-T19S-R23E (Unit N, SESW)

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Perforate & acidize
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

5-19-99 - Swabbed. Loaded hole with 2% KCL with methanol, surfactants and clay stabilizer. Picked up on tubing and packer moved up hole. Nippled down tree and nipped up BOP. Pulled up 20'. Packer hung in collar. Released and TOOH. Rigged up wireline. TIH with gauge ring and junk basket to 8400'. TOOH. TIH with CIBP and set CIBP at 8370'. Capped CIBP with 35' of cement. Shut well in.

5-20-99 - TIH with 3-3/8" casing guns and perforated 8198-8239' w/40 .42" holes as follows: 8198-8203' and 8234-8239' (4 SPF - Upper Morrow). TOOH with casing guns and rigged down wireline. TIH with packer with 1.81" on/off tool to 8242'. Spotted 1 bbl 7-1/2% Morrow acid. Pulled up to 8168'. Nippled down BOP and nipped up tree. Set packer and flanged up. Tested annulus to 1000#. Swabbed tubing down to 8000'. Rigged up treesaver. Acidized perforations 8198-8239' with 2000 gallons 7-1/2% Morrow acid (2:1 acid & methanol) and 1000 scf/bbl N2. Rigged down treesaver. Flowed well for cleanup. Swabbing.

5-21-99 - Swabbed. Shut well in.

5-22-99 - Bled well down. Loaded hole. Nippled down tree and nipped up BOP. Pulled up 20' and hung up. Released packer and TOOH. Rigged up wireline. TIH with CIBP and set CIBP at 8180'. Capped CIBP with 35' of cement. TIH with 3-3/8" casing guns and perforated 7944-7973' w/40 .42" holes as follows: 7944-7949' and 7969-7973' (4 SPF - Atoka). TOOH with casing guns and rigged down wireline. TIH with Arrow Set 1 packer with 1.81" T-2

14. I hereby certify that the foregoing is true and correct

CONTINUED ON NEXT PAGE:

Signed Rusty Glass

Title Operations Technician

Date May 28, 1999

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

(ORIG. SGD.) DAVID R. GLASS

Date

JUN 01 1999




YATES PETROLEUM CORPORATION
Altwein B Federal Com #1
Section 12-T19S-R23E
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

on/off tool. Set packer at 7850'. Nippled down BOP and nipped up tree. Tested annulus to 1000#. Shut down.

5-23-24-99 - Swabbed tubing down to 7900'. Rigged up treesaver. Acidized perforations 7944-7973' with 2000 gallons 7-1/2% Morrow acid (2:1 acid & methanol) with 1000 scf/bbl N2. Rigged down treesaver. Flowed well for cleanup. Swab and flow tested. Shut well in.

5-25-99 - Released well to production department.


Rusty Klein
Operations Technician
May 28, 1999

