




Standard Blowout Preventer Stack

SUPPLEMENTAL DRILLING DATA
SIETE OIL AND GAS CORPORATION
Geronimo Federal #5
765' FNL & 1980' FEL
Section 24: T-18-S, R-31-E
Eddy County, New Mexico
Lease Number - NM-025777

The following items supplement "Onshore Oil and Gas Order No. 1:

1. The geologic surface is quaternary.
2. The estimated geological marker tops:

Yates	2352'	San Andres	4415'
Seven Rivers	2534'	Delaware	4588'
Bowers	3278'	Bone Spring	6430'
Queen	3508'	Wolfcamp	9700'
Gayburg	4048'		

3. Estimated depths to water, oil or gas:

Water: 325'

Oil or Gas: 4900' - 5300'
6600' - 10,500'

4. Proposed casing program:

<u>Size</u>	<u>Interval</u>	<u>Weight</u>	<u>Grade</u>	<u>Joint</u>	<u>New or Used</u>
13 3/8"	0 - 350'	54.5#	J-55	ST&C	New
8 5/8"	0 - 2200'	24.0#	J-55	LT&C	New
	2200' - 3000'	24.0#	S-80	LT&C	New
	3000' - 4700'	28.0#	S-80	LT&C	New
	4700' - 5250'	32.0#	S-80	LT&C	New
5 1/2"	0' - 11000'	15.5#	J-55	LT&C	New
		17.5#	S-80	LT&C	New

5. Pressure Control Equipment: The blowout preventer will be a double ran type preventer. A sketch is attached.
6. Mud Program:

0 - 350': Fresh water mud adding paper. Native mud adding gel and lime as needed for sufficient viscosity to insure clean hole to run casing.

W MEXICO
CLAYTON BASIN QUADRANGLE
15-MINUTE SERIES




Exhibit 'B'
Siete Oil & Gas Corporation
Geronimo Federal No. 5
765' FNL & 1980' FEL
Sec. 24, T18S, R31E
Eddy County, N.M.




Exhibit 'D'

Siete Oil & Gas Corporation

Geronimo Federal No. 5

765' FNL & 1980' FEL

Sec. 24, T18S, R31E