

COPIES RECEIVED	
DISTRIBUTION	
TAKE	☒
E	☒
G.S.	☒
AD OFFICE	☒
RATOR	☒

Form C-105
Revised 11-1-76


NEW MEXICO OIL CONSERVATION COMMISSION WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
B7717

TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐
TYPE OF COMPLETION
IN ☒ WORK OVER ☐ LEEFEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐

7. Chat Agreement Name
8. Form of Lease Name
PJ "A" State

Fred Pool Drilling, Inc.
P.O. Box 1393, Roswell, N.M. 88201



9. Well No.
5
10. Field and FOM, or Well No.
Turkey Track

SECTION J LOCATED 2310 FEET FROM THE South LINE AND 2310 FEET FROM East
TWP. 19S RGE. 29E

11. County
Eddy

12. Date T.D. Reached 6-11-87	13. Date Compl. (Ready to Prod.) 6-18-87	14. Date Compl. (Ready to Prod.) 7-01-87	15. Elevations (Ht., RM, RT, GR, etc.) 3406' Gr	16. Elev. Casinghead 3406'
17. Plug Back T.D. 2920'	18. If Multiple Compl., How Many	19. Interval Drilled by	20. Rotary Tools	21. Cable Tools

22. Was Directional Survey Made
yes

23. Was Well Cored
No

CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	23#	337'	12 1/4	300 sx Cl. C2% CaCL.	-
5 1/2	15.5#	2920'	7 7/8	600 sx HLC, 370 sx 50/60 POZ	

LINER RECORD					TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8	2360'	none

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2366'-2386'	1000 gal 15% HCL, Frac with 30,000 gal. gel water, 10,000 gal CO2; 56,000# 20/40 sand 32,000# 12/20 sand.

PRODUCTION
First Production 7-1-87
Production Method (Flowing, gas lift, pumping - Size and type pump) pumping
Well Status (Prod. or Shut-in) producing
Test Period 24hrs.
Choke Size 1/2"
Prod'n. Per Test Period 84
Oil - BBL 84
Gas - MCF 75
Water - BBL 14
OH Gravity - API (Corr.)

Test Witnessed By
Fred Pool, III

Signature of Fred Pool, III
President
DATE 7-6-87

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all reported formation zone data, including drill stem logs. All reports reported shall be measured by run in the case of directionally drilled wells, true vertical for the shall also be reported for multiple completions. Items 15 through 24 shall be reported for each zone. The form is to be filed in quadruplicate except for state law, where no copies are required. Rev. June 1973.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anby	207	T. Canyon	Ojo Alamo	T. Penn. "B"	T. Penn. "B"
T. Salt	207	T. Brown	Kirkland-Fruitland	T. Penn. "C"	T. Penn. "C"
T. Salt	443	T. Alcala	Pictured Cliffs	T. Penn. "D"	T. Leadville
T. Yates	1168	T. Miles	Chief House	T. Leadville	T. Madison
T. 7 Rivers		T. Devonian	Monroe	T. Madison	T. Liberty
T. 2 Rivers	2315	T. Silurian	Point Hookout	T. Liberty	T. McCrecken
T. Greenburg		T. Monaca	Manaca	T. McCrecken	T. Ignacio-Quito
T. San Andres		T. Simpson	Gallup	T. Ignacio-Quito	T. Grants
T. Glorieta		T. McKee	Pase Greenhorn	T. Grants	
T. Paducah		T. Ellensburg	Dakota		
T. Blinberry		T. Gr. Wash	Moisture		
T. Tubb		T. Granite	Tollite		
T. Delkard		T. Delaware Sand	Enrinda		
T. Abe		T. Bone Springs	Wingate		
T. Wolfcamp			Chile		
T. Penn.			Pennian		
T. Cisco (Bough C)			Penn. "A"		

OIL OR GAS SANDS OR ZONES

No. 1, from	236.6	to	238.6	No. 4, from	
No. 2, from		to		No. 5, from	
No. 3, from		to		No. 6, from	

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from		to		feet.
No. 2, from		to		feet.
No. 3, from		to		feet.
No. 4, from		to		feet.


FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0-	208	208	anhydritic				
208	235	235	Salt				
443	806	363	anhydritic				
806	1110	304	red bed, anhydrite				
1110	1780	670	anhydrite				
1780	2400	620	anhydrite				
2400	2920	520	dolomite				

ARTESIA FISHING TOOL COMPANY

P. O. BOX 802 PHONE (505) 746-6651
470

ARTESIA, NEW MEXICO 88210



June 26, 1987

Fred Pool Drilling
PO Box 1393
Roswell, NM 88201

Re: PJ A State #5
2310' FSL & 2310' FEL
Sec. 1, T19S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
380'	1/2°
789'	1/2°
1289'	2 1/2°
1758'	1°
2225'	2°
2539'	1°
2925'	1°

Very truly yours,

A handwritten signature in cursive script, appearing to read "B. N. Muncy Jr.".

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 26th day of June, 1987.

A handwritten signature in cursive script, appearing to read "Regina L. Garner".

NOTARY PUBLIC