

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR
Harvey E. Yates Company ✓

3. ADDRESS OF OPERATOR
P.O. Box 1933
O. C. D.

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
Unit Ltr. K, 2310' FSL & 2160' FWL

14. PERMIT NO.
30-015-257778

15. ELEVATIONS (Show whether DF, RT, CR, etc.)
3354.1 GL

5. LEASE DESIGNATION AND SERIAL NO.
NM 0560353

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Hale 11 Federal

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Benson Bone Spring

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 11, T19S, R30E

12. COUNTY OR PARISH
Eddy

13. STATE
NM

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

16. NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>	FRACTURE TREATMENT	<input checked="" type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANT	<input type="checkbox"/>	(Other)	<input type="checkbox"/>		<input type="checkbox"/>

(Other)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

10-1-87 Perforate: 1 JSPF @ 8154', 46,33,27,24,19,10,02,8094,81 & 73 (11 holes). Acidize w/ 3000 gals 7 1/2% SRA.

10-2-87 Frac perms (8073 - 8154) w/80,000 gals WF60 w/169,000# sand.

10-15-87 Put on jet pump. Turn over to pumper.

11-12-87 Run SN, tbg anchor, & tbg. SN @ 8603', anchor @ 7803'. Run pump and rods. Hand on production and turn over to pumper.

RECEIVED

18. I hereby certify that the foregoing is true and correct

SIGNED Ray J. Yates TITLE Production Manager/Engineer DATE February 9, 1988

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Resource Area Headquarters

P. O. Box 1778

Carlsbad, New Mexico 88220

IN REPLY REFER TO
3162.4 (067)

Harvey E. Yates Company
ATTN: Larry Brooks
P.O. Box 1933
Roswell, New Mexico 88202

RE: NM-0560353
Hale "11" Federal #1
NE/SW, Sec. 11, T. 19 S., R. 30 E.
Eddy County, New Mexico

R-3221 Area

Gentlemen:

Your method of water disposal, into three 8'x15'x90' unlined disposal pits, is hereby approved subject to the following stipulations:

1. That this agency be notified of any change in your method of disposal.
2. That relocation or enlargement of pit have prior approval.
3. Compliance with the General Requirements for Construction and Maintenance of Permanent Surface Disposal Pits.
4. Compliance with all provisions of NTL-2B.
5. That this agency be notified of any spill or discharge as required by NTL-3A.
6. The operator will assume liability for any toxic or hazardous wastes found in the pit contents.
7. That this agency reserves the right to modify or rescind approval whenever it determines that continued use of the approved method may adversely affect the surface or subsurface environments.
8. That all above-ground structures be painted sandstone brown, Federal Std. 595-20318, or 30318, within 90 days.

Please contact Shannon J. Shaw at (505) 887-6544, if you have any questions.

Sincerely,

For Richard L. Manus
Area Manager

1 Enclosure

GENERAL REQUIREMENTS FOR CONSTRUCTION AND MAINTENANCE OF

PERMANENT SURFACE DISPOSAL PITS

All unlined surface pits approved for water disposal shall:

1. Have adequate storage capacity to safely contain all produced water even in those months when evaporation rates are at a minimum.
2. Be constructed, maintained, and operated to prevent unauthorized surface discharges of water (have continuous embankment surrounding pit).
3. Be fenced and screened to prevent access by livestock and wildlife.
4. Kept free from surface accumulation of liquid hydrocarbons.

N.M.D.C.D
DRAWER D.D
ARIZONA NM
88210