

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

5a. Indicate Type of Lease

State ☒ Fee ☐

5. State Oil & Gas Lease No.

State B 7717

7. Unit Name and Name

8. Form of Lease Name

P J "A" State

9. Well No.

14

10. Field and Post, or Well No.

Trk Trck-SR GB Q SA

10. TYPE OF WELL

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER ☐

b. TYPE OF COMPLETION

NEW WELL ☒

WORK OVER ☐

DEEPEN ☐

PLUG BACK ☐

DIFF. RESVR. ☐

OTHER ☐

NOV 16 '88

c. Name of Operator

Fred Pool drilling, Inc.

O. C. D.

ARTESIA OFFICE

d. Address of Operator

P.O.Box 1393, Roswell, N.M. 88201

e. Location of Well

UNIT LETTER E

LOCATED 2310

FEET FROM THE North

LINE AND 990

FEET FROM

THE W LINE OF SEC. 1

TWP. 19S

RGE. 29E

NADIA

Eddy

15. Date Spudded

10/17/88

16. Date T.D. Reached

10/25/88

17. Date Compl. (Ready to Prod.)

11/2/88

18. Elevations (DF, RAB, RT, etc.)

3390 Gr

19. Elev. (Surface)

3390'

20. Total Depth

3160'

21. Plug Back T.D.

3120'

22. If Multiple Compl., How Many

23. Interval Drilled By

24. Interval Drilled By

25. Interval Drilled By

24. Producing Interval(s), of this completion - Top, Bottom, Name

2275-2328

26. Well Fractured or Sealed

yes

26. Type Electric and Other Logs Run

CNL-FPC, DLL,

27. Was Well Cased

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT USED
4 1/2	9.5#	3143'	7 7/8	350 sx HLC, 15# salt, 1/4# Flocele	-0-
8 5/8	24#	368'	12 1/2	550 sx 50/50 poz, 5# salt.	
				300 sx Cl C, CaCl, 1/4# Flocele,	

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 3/8	2236'	

31. Perforation Record (interval, size and number)

2275-2328'

32. ACID, SHOT, FRACTURE, CEMENT SOULEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2275-2328'	2000 gal 15% HCL, Frac with 59,0 gal. gel H2O, and 80,000# 20/40 sand, 42000# 12/20 sand.

33. PRODUCTION

Date First Production 11-7-88		Production Method (Flowing, gas lift, pumping - Size and type pump) Pump 2" x1½x12'					Well Status (Prod. or Shut-in) producing	
Date of Test 11-8-88	Hours Tested 24	Choke Size NA	Prod'n. For Test Period →	Oil - Bbl. 30	Gas - MCF 20	Water - Bbl. 45	Gas - Oil Ratio 666	
Flow Tubing Press. NA	Casing Pressure NA	Calculated 24- Hour Rate →	Oil - Bbl. 30	Gas - MCF 20	Water - Bbl. 45	Oil Gravity - API (Grav.) 36		

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold

Test Witnessed By

Fred Pool, III

35. List of Attachments

Deviation Survey and logs

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED Fred Pool, III

TITLE Petroleum Engineer

DATE 11-14-88

INSTRUCTIONS

This form is to be filled with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filled in quadruplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	180	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	345	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	1110	T. Aloka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	1410	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	1730	T. Devonian	T. Menefee	T. Madison
T. Queen	2265	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	2560	T. Montoya	T. Mancos	T. McCracken
T. San Andres	2690	T. Simpson	T. Gallup	T. Ignacio Geste
T. Glorieta		T. McKee	T. Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T.
T. Blinberry		T. Gr. Wash	T. Morrison	T.
T. Tubb		T. Granite	T. Todillo	T.
T. Drinkard		T. Delaware Sand	T. Enu ada	T.
T. Abo		T. Bone Springs	T. Wingate	T.
T. Wolfcamp		T.	T. Chinle	T.
T. Penn.		T.	T. Permian	T.
T. Cisco (Bough C)		T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from	2275	to	2328	No. 4, from		to	
No. 2, from		to		No. 5, from		to	
No. 3, from		to		No. 6, from		to	

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	none	to		feet
No. 2, from		to		feet
No. 3, from		to		feet
No. 4, from		to		feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	180	180	Red Bed				
180	345	165	Sandy red bed				
345	1110	765	Salt				
1110	1410	300	anhydrite, sand				
1410	1730	320	red sand				
1730	2265	535	dolomite, sand				
2265	1560	295	sandy shale, sand				
2560	TD		lime, sand				

ARTESIA FISHING TOOL COMPANY

P. O. BOX ~~XXX~~ PHONE (505) 746-6651
470

ARTESIA, NEW MEXICO 88210

RECEIVED

October 28, 1988

NOV 16 '88

O. C. D.
ARTESIA, OFFICE

Fred Pool Drilling ✓
PO Box 1393
Roswell, NM 88201

Re: PJ A State #14
2310' FNL & 990' FWL
Sec. 1, T19S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
370'	3/4°
801'	1/2°
1268'	1°
1706'	3/4°
2112'	1 1/2°
2602'	1°
3160'	3/4°


Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 28th day of October, 1988.



NOTARY PUBLIC

