	-		
		M. CH	c/st
rm 3160-5 ne 1990)	UNITED STA DEPARTMENT OF TI	ATES HE INTERIOR	0 2834 FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993
	BUREAU OF LAND M	IANAGEMENT	5. Lease Designation and Serial No.
s Do not use this forr Use	SUNDRY NOTICES AND RI n for proposals to drill or to o e "APPLICATION FOR PERMI	HE INTERIOR IANAGEMENT EPORTS ON WELLS deepen or reentry to a different IT—" for such proposals \mathcal{AECEP}	regervoir.
SUBMIT IN TRIPLICATE			TES/4 CT. If Unit or CA, Agreement Designation
1. Type of Well Oil IX Well Other			8. Well Name and No.
Name of Operator YATES PETROLE	UM CORPORATION	(505) 748-1471)	Roden GD Federal Com #3 9. API Well No.
3. Address and Telephone No.			30-015-26096 10. Field and Pool, or Exploratory Area
105 South 4th St., Artesia, NM 88210 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			Hoag Tank Morrow
		-T19S-R24E (Unit F, SENW	
			Eddy Co., NM
CHECK A	PPROPRIATE BOX(s) TO I	NDICATE NATURE OF NOTIC	E, REPORT, OR OTHER DATA
TYPE OF SU	UBMISSION	ΤΥΡΕ Ο	DF ACTION
X Notice of I	intent	Abandonment X Recompletion	Change of Plans New Construction
Subsequent	I Report	Plugging Back Casing Repair	Water Shut-Off
Final Aban	ndonment Notice	Altering Casing X Other <u>Return to Mor</u>	COV Conversion to Injection Dispose Water (Nate: Report results of multiple completion on Well
give subsurface location Propose to ret 1. POOH with 2. Load well	ons and measured and true vertical depths for turn well to perforati production equipment. before attempting to	ons 8897-8907' (Morrow) pull RBP at 8758'. If w	
 GIH with a RBP. If there over RBP. GIH with a 2.31" ID and a 5. Space out, 	retrieving tool and ch e is fill, will bail o tubing and latch onto standing valve. , remove BOP and insta	eck for trash on RBP at r circulate to clean off Baker Lok-Set packer at	8758'. If no fill, pull May be necessary to cut 8878' with on/off tool with
	ell to production depa	rtment.	
	forations 7636-7747' (Canvon) are not squeezed	N. WILL DE LEIT ODER TO
	forations 7636-7747' (Canyon) are not squeezed	, will be left open to
NOTE: If perf		Canyon) are not squeezed	

*See Instruction on Reverse Side

WW HERFY WW BOEMERTY WW So \$0 815 C 3415A