

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

JAN 17 '90

WELL API NO.  
30-015-26118

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Parish IV Com

8. Well No.  
2

9. Pool name or Wildcat  
Und. Hoag Tank Morrow

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL ☐ GAS WELL ☒ OTHER

2. Name of Operator  
YATES PETROLEUM CORPORATION

3. Address of Operator  
105 South 4th St., Artesia, NM 88210

4. Well Location  
Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line

Section 26 Township 19S Range 24E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
3540' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: Production Casing ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

NOTE: Corrected hole size 8-3/4". Ran 217 joints 7" 23# and 26# J-55 and N-80 casing as follows: 63 jts 7" 26# J-55 & N-80, 22 jts 7" 23# N-80, 75 jts 7" 23# J-55, 52 jts 7" 23# N-80 and 5 jts 7" 26# N-80 (total 9233.44') casing, set 9220'. Float shoe set 9220', float collar set 9176'. DV tool set 5584'. Cemented 1st stage w/1000 gals Flocheck II, 1100 sx Class H w/5#/sx Salt + .4% Halad 22-A + .3% CFR-3, 5#/sx Gilsonite (yield 1.18, wt 15.6). PD 2:15 PM 1-9-90. Circulated 200 sacks. Opened DV tool with 1600 psi. Circulated thru DV tool 2-3/4 hrs. Stage 2 - 900 sx Halliburton Lite w/1/2#/sx Flocele + 5#/sx Gilsonite (yield 1.84, wt 12.7). Tail in w/100 sx Class H Neat (yield 1.18, wt 15.6). PD 6:15 PM 1-9-90. Circulated 200 sacks. Closed DV tool with 2900 psi, OK. Bumped plug to 2400 psi for 3 minutes, float and casing held OK.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: Juanita Goodlett TITLE Production Supervisor DATE 1-16-90

TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY  
MIKE WILLIAMS

APPROVED BY SUPERVISOR, DISTRICT II TITLE SUPERVISOR DATE JAN 23 1990

CONDITIONS OF APPROVAL, IF ANY: