

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
S. COMMISSION

SUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)

Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

NM-24160

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Osage Federal

9. WELL NO.

9

10. FIELD AND POOL OR WILDCAT

Wm. Parkway Wolfcamp

11. SEC., T., R., M., OR BLK. AND
SUBVEY OR AREA

Sec. 34: T19S, R29E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Siete Oil & Gas Corporation

AUG 28 '89

3. ADDRESS OF OPERATOR

P.O. Box 2523

Roswell, NM 88202-2523

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

990' FNL & 1980' FEL, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Unit Letter B

14. PERMIT NO.

30-015-26157

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

3319' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Spud, Surface & Inter Csg

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

8/3/89 WEK Rig #2 spudded 26" hole @ 9:45 PM.

8/4/89 TD 26" hole to 343', RU & ran 10 jts (346') 20" 94# J-55 csg, set @ 343' w/165 sxs 35/65 POZ, $\frac{1}{4}$ # D-29, 10# D-44 & 3% CaCl + 200 sxs 35/65 POZ w/ $\frac{1}{4}$ # D-29 & 3% CaCl, tail-in w/250 sxs class C w/ $\frac{1}{4}$ # D-29 & 2% CaCl, did not circ, cmt @ 90' w/1" w/200 sxs class C w/3% CaCl, circ cmt to surface, PD @ 9:30 PM, WOC & resumed drlg.

8/6/89 TD 17 $\frac{1}{2}$ " hole to 1141', RU & ran 28 jts (1173.23') 13 3/8" 61# J-55 csg, set @ 1141' w/750 sxs 35/65 POZ w/ $\frac{1}{4}$ # D-29, 5% CaCl & 10# D-44, tail-in w/250 sxs class C w/ $\frac{1}{4}$ # D-29 & 2% CaCl, circ 118 sxs, PD @ 8:30 PM, pump 75 sx pill @ 1141'.

18. I hereby certify that the foregoing is true and correct

SIGNED

Cathy Batley

TITLE

Drig. & Prod. Tech.

DATE

8/11/89

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

DATE

AUG 13 1989

*See Instructions on Reverse Side

SSS
CARLSBAD, NEW MEXICO