

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

C15F
B2M
St. Val
P. J. B.

NOV 8 - '89

WELL API NO.

30-015-26186

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

B9739-15

7. Lease Name or Unit Agreement Name

P J "B" State

8. Well No.

3

9. Pool name or Wildcat

Und. Turkey Trk SR-Q-G-SA

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. Type of Completion:

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR ☐ OTHER ☐

2. Name of Operator

Fred Pool Drilling, Inc.

3. Address of Operator

P.O. Box 1393, Roswell, N.M. 88201

4. Well Location

Unit Letter F: 2310 Feet From The West Line and 1650 Feet From The North Line

Section 11 Township 19S Range 29E NMPM Eddy County

10. Date Spudded

10-13-89

11. Date T.D. Reached

10-19-89

12. Date Compl. (Ready to Prod.)

10-26-89

13. Elevations (DF & RKB, RT, GR, etc.)

3369 GR

14. Elev. Casinghead

3369'

15. Total Depth

2398

16. Plug Back T.D.

2360'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

Cable Tools

X

19. Producing Interval(s), of this completion - Top, Bottom, Name

2240-2260 Queen

20. Was Directional Survey Made

yes

21. Type Electric and Other Logs Run

CNL-FDC, DLL w/GR

22. Was Well Cored

No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	377	12 1/2	300 sx C1 C	-0-
4 1/2	11.6#	2396	7 7/8	365 sx Hal Lite,	
				355 sx 50/50 POZ	-0-

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD
					SIZE DEPTH SET PACKER SET
					2 3/8 2175 No

26. Perforation record (interval, size, and number)

2240-2260 11 shots

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

2240-60

Acid-1000 gal 7 1/2 HCl

Frac- 37,500 gal. YF 130,

75,200# 12/20 sand.

28. PRODUCTION

Date First Production

10-30-89

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping

Well Status (Prod. or Shut-in)

producing

Date of Test

1--31=89

Hours Tested

24

Choke Size

NA

Prod n For Test Period

Oil - Bbl.

40

Gas - MCF

40

Water - Bbl.

2

Gas - Oil Ratio

1000

Flow Tubing Press.

NA

Casing Pressure

NA

Calculated 24-Hour Rate

Oil - Bbl.

40

Gas - MCF

40

Water - Bbl.

2

Oil Gravity - API - (Corr.)

35

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold

Test Witnessed By

Fred Pool, III

30. List Attachments

logs

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Fred Pool, III

Printed

Fred Pool, III

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	185	T. Canyon	
T. Salt	345	T. Strawn	
B. Salt	1075	T. Atoka	
T. Yates	1393	T. Miss	
T. 7 Rivers	1618	T. Devonian	
T. Queen	2204	T. Silurian	
T. Grayburg		T. Montoya	
T. San Andres		T. Simpson	
T. Glorieta		T. McKee	
T. Paddock		T. Ellenburger	
T. Blinbry		T. Gr. Wash	
T. Tubb		T. Delaware Sand	
T. Drinkard		T. Bone Springs	
T. Abo		T.	
T. Wolfcamp		T.	
T. Penn		T.	
T. Cisco (Bough C)		T.	

Northwestern New Mexico

T. Ojo Alamo		T. Penn. "B"	
T. Kirtland-Fruitland		T. Penn. "C"	
T. Pictured Cliffs		T. Penn. "D"	
T. Cliff House		T. Leadville	
T. Menefee		T. Madison	
T. Point Lookout		T. Elbert	
T. Mancos		T. McCracken	
T. Gallup		T. Ignacio Otzte	
Base Greenhorn		T. Granite	
T. Dakota		T.	
T. Morrison		T.	
T. Todilto		T.	
T. Entrada		T.	
T. Wingate		T.	
T. Chinle		T.	
T. Permian		T.	
T. Penn "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from.....2204	to.....2270	No. 3, from.....	to.....
No. 2, from.....	to.....	No. 4, from.....	to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....none	to.....	feet.....
No. 2, from.....	to.....	feet.....
No. 3, from.....	to.....	feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	185	185	red bed				
185	345	160	anhydrite, red bed				
345	1075	730	salt				
1075	1393	318	anhydrite, sand				
1393	1618	225	red shaly sand				
1618	2204	881	dolomite and sand				
TD							

ARTESIA FISHING TOOL COMPANY

P. O. BOX ~~XXX~~ PHONE (505) 746-6651
470

ARTESIA, NEW MEXICO 88210

RECEIVED

OCT 27 '89

October 23, 1989

O. C. D.
ARTESIA, OFFICE

Fred Pool Drilling
PO Box 1393
Roswell, NM 88201

Re: PJ B State #3
2310' FWL & 1650' FNL
Sec. 11, T19S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
98'	1/4°
214'	1/4°
375'	1 1/4°
850'	1°
1065'	1 1/4°
1160'	1 1/4°
1655'	3/4°
2130'	1 1/4°
2400'	1°


Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 23rd day of October, 1989.


NOTARY PUBLIC

