

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Albuquerque, NM 88210

CONTACT RECD
OFFICE FOR NUMBER
OF COPIES REQUIRED
(See other in-
structions on
reverse side)

BLM Roswell District
Modified Form No.
10060-0160-3
5. LEASE DESIGNATION AND SERIAL NO.
NM-24160
6. INDIAN, ALLEGED OR TRIBE NAME

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____		3a. Area Code & Phone No. (505)622-2202	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PILING BACK ☐ DIFF. REGRV. ☐ Other _____			
2. NAME OF OPERATOR Siete Oil & Gas Corporation ✓		3b. Area Code & Phone No. (505)622-2202	
3. ADDRESS OF OPERATOR P.O. Box 2523 Roswell, NM 88202-2523		RECEIVED APR 27 '90	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1650' FNL & 2310' FWL, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Unit Letter F At top prod. interval reported below Same At total depth Same			
9a. API Well No. 30-015-26271		14. PERMIT NO. DATE APPROVED, OFFICE 1/6/90	
15. DATE SPUDDED 1/16/90		16. DATE T.D. REACHED 2/3/90	
17. DATE COMPL. (Ready to prod.) 2/17/90		18. ELEVATIONS (OF. BKR. RT. OR, ETC.)* 3302' GR	
19. ELEV. CASINGHEAD 3318.5' KB		20. TOTAL DEPTH, MD & TVD 8300'	
21. PLUG. BACK T.D., MD & TVD 8261'		22. IF MULTIPLE COMPL., HOW MANY* N/A	
23. INTERVAL IN DRILLED BY		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 6968'-7052' Bone Spring	
25. ROTARY TOOLS CABLE TOOLS		26. TYPE ELECTRIC AND OTHER LOGS RUN DLL/MSFL, CNL/LDT/GR, EPT & Volan	
27. WAS WELL CORDED No		28. WAS WELL CORDED No	

CASING RECORD (Report all casing used in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	94#	360'	26"	400 sxs (1" to surface)	
13 3/8"	63# & 54.5#	1120'	17 1/2"	1000 sxs circ	
8 5/8"	32# & 24#	3200'	12 1/4"	750 sxs (1" to surface)	
5 1/2"	17#	8300'	7 7/8"	1120 sxs	

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	6884'	6916'

31. PERFORATION RECORD (Interval, size and number)		32. ACID. SHOT. FRACTURE. CEMENT SQUEEZE, ETC.	
6968'-7052' w/16 perfs		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
		6968'-7052'	2000g. 15% HCl, 76000g. 20#XL
			176000# Ottawa 16/30,
			32000# 16/30 RCS

33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
2/17/90		Flowing				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3/16/90	24	40/64"	→	70	1589	30	22700/1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
600	920	→	70	1589	30	39.8	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold (Phillips 66 Contract)	TEST WITNESSED BY Jim Ikard
---	--------------------------------

35. LIST OF ATTACHMENTS
deviation surveys & open-hole logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Cathy Seely TITLE Drig. & Prod. Tech. DATE 4/9/90

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
B. Spring	6968'	7052'	Mud log shows of oil and gas.

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
T/Yates T/7-Rvrs Delaware B. Spring	1290' 1590' 3450' 5480'	+ 2012' 1712' - 148' 2178'

WELL NAME AND NUMBER Osage Federal #15

LOCATION Section 34, T-19S, R-29E, Eddy County, New Mexico
(New Mexico give U.S.T.&R. - Texas give S, BLK, SURV. and T&M)

OPERATOR Siete Oil & Gas - P.O. Box 2523 - Roswell, NM 88201

DRILLING CONTRACTOR ZIADRIL, Inc. - P.O. Box 1860 - Hobbs, NM 88241

ARTESIA, OFFICE

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

Degrees and Depth	Degrees and Depth	Degrees and Depth	Degrees and Depth
1 345	1-3/4 4065	2 6051	2 7785
3/4 534	2-1/2 4313	2-1/4 6176	3/4 8002
1-1/4 866	2-3/4 4405	2-1/4 6267	1-3/4 8278
1-1/2 1080	2-3/4 4685	3/4 6391	
1 1479	2 4775	Miss Run 6485	
1/2 1880	2-3/4 4933	1-1/2 6579	
1/4 2284	2 5301	1-3/4 6671	
1-3/4 2683	2-1/2 5423	1-3/4 6795	
1 3083	2-1/4 5546	3/4 6917	
1 3200	2 5680	3/4 7071	
1 3175	1-1/2 5805	1/2 7288	
1 3572	2-1/4 5960	1-1/2 7537	

Drilling Contractor ZIADRIL, Inc.

By Wiley Gilmore
Wiley Gilmore - Marketing Manager

Subscribed and sworn to before me this 6th day of February 19 90

My Commission expires:

03/05/90

Julie M. Hopper
Notary Public - Julie M. Hopper
Lea County, New Mexico

RECEIVED
APR 12 11 02 AM '90
ARTESIA, OFFICE