

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

dsr+
Op

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-26300
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG 1525
7. Lease Name or Unit Agreement Name State CO Com
8. Well No. 4
9. Pool name or Wildcat North Dagger Draw Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	
2. Name of Operator YATES PETROLEUM CORPORATION	
3. Address of Operator 105 South 4th St., Artesia, NM 88210	
4. Well Location Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line Section 36 Township 19S Range 24E NMPM Eddy County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3622' GR	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

CORRECTION * - 7" casing (23# & 26#) set 8020', float set 7925'*. Drilled thru DV tool at 5174'. Spot 500 gals 20% NEFE acid @ 7850'; spot 500 gals 20% NEFE acid @ 7855'. Perforated 7829-7843' w/8 .41" holes: 7829, 31, 33, 35, 37, 39, 41, 43. Swabbed well 5-9 - 5-13-90. 5-14-90. Perforate Canyon 7687-7802' w/12 - .41" holes as follows: 7687, 89, 91, 93, 7744, 46, 48, 7793, 95, 98, 7800, 7802'. Acidized perfs 7687-7802' w/1100 gals 20% NEFE acid. Perforated blanket fire 7682-7698' w/34 .41" holes (2 JSPF) and 7720-7843' w/248 .41" holes (2 JSPF). Acidized via tubing and annulus with 26000 gals 20% NEFE acid.

RECEIVED

MAY 17 1990

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supv. DATE 5-16-90
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY
MIKE WILLIAMS
SUPERVISOR, DISTRICT II

APPROVED BY _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

MAY 31 1990