

**N.M. Oil Cons. Division**  
**UNITED STATES**  
**DEPARTMENT OF THE INTERIOR**  
**BUREAU OF LAND MANAGEMENT**  
**811 S. 1st St. et**  
**Artesia, NM 88210-2834**

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

YATES PETROLEUM CORPORATION (505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 1980' FEL of Section 23-T20S-R24E (Unit J, NWSE)

5. Lease Designation and Serial No.

NM-86241

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Hill View AHE Fed Com #4

9. API Well No.

30-015-26356

10. Field and Pool, or Exploratory Area

Dagger Draw Upper Penn, Sc

11. County or Parish, State

Eddy Co., NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other

Possible repair and/or  
Temporary Abandon

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

NOTIFY OCD-ARTESIA (505-748-1283) IN SUFFICIENT TIME TO WITNESS TESTING OF PACKER. RECORD ON CHART! NOTIFY BLM-CARLSBAD (505-887-6544) IN SUFFICIENT TIME TO WITNESS.

Propose to test packer as follows:

1. Load tubing and annulus. Pressure up on annulus for casing and packer test. RECORD ON CHART
2. If well fails to test, unset packer and reset packer and pressure annulus.
3. If well still fails test, TOOH with tubing and packer.
4. Rig up wireline and run gauge ring to 7600'. TOOH. TIH with 7" CIBP and set at 7600'.
5. Load and pressure test casing.
6. If it is determined that casing is leaking, obtain 2-7/8" workstring from YPC yard.
7. RIH with packer and RBP. Isolate and pump into leak.
8. If casing is leaking, decision will be made to squeeze or set another CIBP above leak. Possible capping of CIBP at 7600' with 35' of cement and setting of cement plugs between CIBP @ 7600' and leak so as to leave the well in approvable condition to P & A if well is not to be utilized in the future.

14. I hereby certify that the foregoing is true and correct

CONTINUED ON NEXT PAGE:

Signed

*Alexis C. Swohoda*

Title

Operations Technician

Date April 21, 1999

(This space for Federal or State office use)

(ORIG. SGD.) ALEXIS C. SWOBODA

Approved by

Conditions of approval, if any:

Title

PETROLEUM ENGINEER

Date

MAY 04 1999




YATES PETROLEUM CORPORATION  
Hill View AHE Federal Com #4  
Section 23-T20S-R24E  
Eddy County, New Mexico

SUNDRY NOTICE CONTINUED:

9. Leave well loaded with 2% KCL water.
10. Install ball valve on casing.

If packer will not test and casing is leaking significantly where it will be expensive to repair, Yates Petroleum Corporation respectfully requests permission to Temporary Abandon this well for a period of one (1) year in order to evaluate for a deepening candidate for a Morrow test.

If decision is made to plug and abandon, a sundry notice for intent to abandon will be submitted.

  
\_\_\_\_\_  
Rusty Klein  
Operations Technician  
April 21, 1999

