Submit 3 Copies to Appropriate
District Office

State of New Mexico Ene., Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION P.O. Box 2088 RECEIVED

WELL API NO.		
30-015-2649	8	
5. Indicate Type of Lease		
•	STATE	FEE X

0 . T N . N 07504 2000			
DISTRICT II Santa Fe, New Mexico 8 P.O. Drawer DD, Artesia, NM 88210	3/304-2088	5. Indicate Type of Lease STATE FEE X	
DISTRICT III 1000 Rio Brazos Rd., Azzec, NM 87410	JAN 22 '91	6. State Oil & Gas Lease No.	
SUNDRY NOTICES AND REPORTS ON WELL	SO. C. D.		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN (DIFFERENT RESERVOIR. USE "APPLICATION FOR PER (FORM C-101) FOR SUCH PROPOSALS.)	NA UEDO CONTRACTOR DE LA CONTRACTOR DE	7. Lease Name or Unit Agreement Name	
I. Type of Well: OIL GAS WELL WELL XX OTHER		Winston AII	
2. Name of Operator /		8. Well No.	
YATES PETROLEUM CORPORATION (505) 748-1471		1	
Address of Operator		9. Pool name or Wildcat	
105 South 4th St., Artesia, New Mexico 882	10	Undes. Boyd Morrow Gas	
Unit Letter E : 1980 Feet From The North Section 14 Township 19S Ran 10. Elevation (Show whether L 3657° GR	ge 24E NN OF, RKB, RT, GR, etc.)	APM Eddy County	
11. Check Appropriate Box to Indicate N	lature of Notice, Rep	ort, or Other Data	
NOTICE OF INTENTION TO:		EQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT		
PULL OR ALTER CASING	CASING TEST AND CEMENT JOB L. STREET OF THE CONTROL		
	OTHER TETTOTAGE THE TETTOTAGE		
OTHER: 12 Describe Proposed or Completed Operations (Clearly state all pertinent details, an work) SEE RULE 1103. 12-20-90. TD 10850'. Drilled thru DV tools at	OTHER: <u>Perforate</u> ,	Acidize, Frac Well g estimated date of starting any proposed	

w/17 - .42" holes (4 JSPF). Acidized perforations w/1500 gals $7\frac{1}{2}$ % Morflow acid with 1000

scf N2/bb1. Flowed and swabbed well.

12-29-90. WIH with cement retainer set at 8745'. Squeezed perfs 8765-8769' w/150 sx cement

to 3500 psi.

12-30-90. Perforated Morrow Clastics 8658-8710' w/27 - .42" holes as follows: 8658-8670' (1 SPF), 8695-8698' (2 SPF), 8706-8710' (2 SPF).

1-3-91. Acidized perfs 8658-8710' w/3000 gals $7\frac{1}{2}$ % Morflo acid, N2 and ball sealers.

1-8-91. Frac'd perfs 8658-8710' w/35000# 20/40 Ottawa sand, 20000 gals gelled fluid and CO2.

I hereby certify that the information above in true and complete to the best of my knowledge and belief.				
SIGNATURE SIGNATURE	ula Dordun	mme Production Supervisor	DATE	
TYPE OR PRINT NAME Jua	nita Goodlett		TELEPHONE NO. 505/748-1471	
(Thus space for State Use)	ORIGINAL SIGNED BY MIKE WILLIAMS		JAN 2 4 1991	
A TOTAL CALLED BY	SUPERVISOR, DISTRICT IT	mue	DATE	

CONDITIONS OF APPROVAL, IF ANY: ...