

(August 1999)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED

OMB No. 1004-0135

Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Yates Petroleum Corporation

3a. Address

105 S. 4th Street - Artesia, NM 88210

3b. Phone No. (include area code)

505-748-1471

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1925' FSL and 1980' FWL

Section 14 - T20S-R24E

5. Lease Serial No.

NM-42787-A

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA/Agreement, Name and/or No.

NA

8. Well Name and No.

Senita AIP Federal Com #1

9. API Well No.

30-015-26599

10. Field and Pool, or Exploratory Area

Dagger Draw Upper Penn, S.

11. County or Parish, State

Eddy Co., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Deepen

☐ Production (Start/Resume)

☐ Water Shut-Off

☐ Alter Casing

☐ Fracture Treat

☐ Reclamation

☐ Well Integrity

☐ Casing Repair

☐ New Construction

☐ Recomplete

☐ Other

☐ Change Plans

☐ Plug and Abandon

☒ Temporarily Abandon

☐ Convert to Injection

☐ Plug Back

☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operations results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

5/6/02 - MIRU.

5/7/02 - Notified Jim Amos with BLM. TOH with rods and pump. TOH with tbg - did not have TAC.

5/8/02 - Fished tubing anchor and rest of tubing.

5/9/02 - Set CIBP at 7580'. Cap with 35' of cement.

Load hole with 2% KCL water with 1 gpt corrosion inhibitor. Test casing to 550 psi for 30 mins. Chart attached.

Gene Hunt with BLM on location for test.

Rig down and move out.

TA Approved For 12 Month Period

Ending 5/9/03

I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Susan Herpin

Signature

Title

Engineering Technician

Date

16-May-02

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

(ORIGINAL) 105 S. 4th St.

Title

Petroleum Engineer

Date

7/15/02

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

CFO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Test #1 - leakage in fitting


Test 2 leakage

See Check #2

Sanita AIR P.E.C. #

5/6/02

5/6/02



No Leakage

540#

540#

1440 Hrs  
Good Test  
9 Hrs

Chart #2

5-9-02

Sen to AIP  
Fed Com #1