

c15F

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such purposes.

SUBMIT IN TRIPLICATE MAR 11 1993		5. Lease Designation and Serial No. NM-045275
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator YATES PETROLEUM CORPORATION (505) 748-1471		7. If Unit or CA, Agreement Designation
3. Address and Telephone No. 105 South 4th St., Artesia, NM 88210		8. Well Name and No. Conoco AGK Federal #5
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Unit B, 860' FNL & 1980' FEL of Section 26-T20S-R24E		9. API Well No. 30-015-26736
		10. Field and Pool, or Exploratory Area South Dagger Draw U/Penn
		11. County or Parish, State Eddy Co., New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
Completion Procedure	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Yates Petroleum Corporation plans to complete the well as follows:

- Clean out to 7950'. GIH w/4" casing gun and perforate Canyon Dolomite 7642-7734' w/32 holes (.50" holes, 180 degree phasing, 2 SPF) as follows: 7642, 44, 46, 48, 7688, 90, 92, 7703, 05, 07, 14, 16, 19, 7730, 32 & 7734'.
- TIH w/tubing, packer and RBP. Treat perforations 7688-7734' w/15000 gallons 20% HCL with ball sealers.
- Straddle and treat perforations 7642-7648' w/8000 gallons 20% HCL.
- Straddle entire interval and swab back load.

RECEIVED
FEB 26 11 01 AM '93
OIL
AREAS

14. I hereby certify that the foregoing is true and correct

Signed <u>Rusty Green</u>	Title <u>Production Clerk</u>	Date <u>February 25, 1993</u>
(This space for Federal or State office use)		
Approved by <u>(ORIG. SGD.) DAVID R. GLASS</u>	Title <u>PETROLEUM ENGINEER</u>	Date <u>3-9-93</u>
Conditions of approval, if any:		