	UNITED STATE DEPARTMENT OF THE I BUREAU OF LAND MANA Y NOTICES AND REPO	NTERIOR GEMENT	N.M. DI 1301 W. Gr	CONS. FORM APPROVED V-Dist. 2 ^{OMB No. 1004-0135} Ande Avenue
	is form for proposals to c vell. Use Form 3160-3 (AP			6. If Indian, Allottee or Tribe Name
SUBMIT IN TR	IPLICATE - Other instru	ictions on reverse	side	7. If Unit or CA/Agreement, Name and/or No.
I. Type of Well X Oil Well Gas Well Other			52122 - 3	8. Well Name and No.
2. Name of Operator GREAT WESTERN DRILLING COMPANY			A 3	MABEL HALE FEDERAL #7
3a. Address 3b. Phone N			le area code)	9. API Well No. 30-015-26785
P.O. BOX 1659 MIDLAND TX 79702 (915)68 4. Location of Well(Footage, Sec., T., R., M., or Survey Description) (915)68			RECEIVED	10. Field and Pool, or Exploratory Area SHUGART POOL (YATES GRAYBUR
4. Elocation of wein Produge, sec. 1., K., M., or Survey Description) 1,650' FNL & 1,750' FWL SEC 11; T-19-S; R-30-E UNIT F SE NW		on) TELE	OCD - ARTESIA	11. County or Parish, State EDDY, NM
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
TYPE OF SUBMISSION		TY	PE OF ACTION	
□ Notice of Intent	Acidize	 Deepen Fracture Treat 	 Production (Start Reclamation 	, A
X Subsequent Report	 Alter Casing Casing Repair 	 Practure Treat New Construction 	Recomplete	XI Well Integrity Other
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and AbandonPlug Back	Temporarily AbaWater Disposal	andon
If the proposal is to deepen dir Attach the Bond under which following completion of the in	ectionally or recomplete horizont the work will be performed or pro volved operations. If the operatio nal Abandonment Notices shall b ly for final inspection.)	ally, give subsurface locat vide the Bond No. on file v n results in a multiple com e filed only after all require	ions measured and true v vith BLM/BIA. Require pletion or recompletion i ments, including reclam	ny proposed work and approximate duration thereof. vertical depths of all pertinent markers and zones. d subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once ation, have been completed, and the operator has
		-	·	ST ANOTHER ONE YEAR
EXTENSION FOR THE T	EMPORARY ABANDON	MENT STATUS OF	THIS WELL.	
A MECHANICAL INTEGRITY TEST WAS PERFORMED ON FEBRUARY 2, 2002. THIS TEST WAS SUCCESSFUL. PLEASE SEE ATTACHED CHART.				
WE RECENTLY ATTEMPTED A RECOMPLETION OF THE MABEL HALE #3 AND ARE EVALUATING THE MABEL HALE #2 FOR RECOMPLETION.				
FOLLOWING THESE ATTEMPTS, WE WILL BE ABLE TO DETERMINE THE UTILITY (IF ANY) AT MABEL HALE #7.				
A	ccepted for record - NMO	CD ()	2)212121222222222222222222222222222222	Long Contract of the second
 14. I hereby certify that the foregon Name (<i>Printed/Typed</i>) GINA KING 	ing is true and correct	Title PROD		CIAN
Signature		Date		
(Juna 1 X	THIS SPACE I	02/12/		
Approved by (ORIG	. SGD.) JOE G. LAR		Title Petroleum F	Date /
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office CFC	
	s it a crime for any person knowi		to any department or age	ency of the United States any false, fictitious or

BUREAU OF LAND MEMI. 5005 EEB IF VH 8: 31 RECEIVED



HEVENED

5005 EEB I r WW 8:31

BORRELL OFFICE BUREAU OFFICE MEML



- ***. <u></u>	TOPS
'1. Salt_750	
B. Salt_1810	
Yates 1990	
Glorieta	
Delaware	
Bone Sp.	
Abo	
Wolfcamp	
Morrow	
Devonian	
Fusselman	
Other Queen	-2405

- Contact OCD 24 hrs. prior to any work done.
- Salt gel mud consisting of 10# brine with 25# of gel per barrel must be placed between each plug
- Install dry hole marker as per rule 202.B.2
- Plugs are to be set from point indicated up.
- Plugs must not be less than 100' or 25 Sacks of cement, whichever is greater, unless specifically indicated.
- Shoe and stub plugs will be 50' above and below shoe or stub and tagged.
- Surface plug will be from 0'- 60'
- Where plugs are required cement must be placed inside and outside of all casing string(s), in the correct footage or sacks required, if no cement exists.

.

• Plugs to be tagged will be indicated.