

+
2157
DP

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.
30-015-27210

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.
VB-212

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name

Rancherita AMH State

1. Type of Well:
OIL WELL GAS WELL OTHER

APR 09 1993

2. Name of Operator
YATES PETROLEUM CORPORATION

8. Well No.
1

3. Address of Operator
105 South 4th St., Artesia, NM 88210

9. Pool name or Wildcat
Wildcat Morrow/Strawn

4. Well Location
Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line

Section 8 Township 19S Range 24E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3762' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Propose to test Morrow and/or Strawn <input checked="" type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Perforated, acidized and frac'd Cisco Lime at 6235-6464'. (reported on C-103)
 Propose to test Morrow sand an/or Strawn sand as follows;
 Perforate Morrow 8427-8429' (6 holes). Acidize perms w/1000 gals 7½% Morflo acid.
 Flow/swab test well. If Morrow dry or non-commercial, set CIBP + 35' cement at 8400'.
 Perforate Strawn 1 and 2 as follows: S1) 8097-8100' (8 holes); S2) 7925-7942' (18 holes)
 Straddle and acidize Strawn zones in two stages. Straddle both Strawn zones and flow/swab test.
 Depending on results of Morrow and/or Strawn tests, will return Cisco to production, squeeze Cisco or apply to commingle Cisco and Morrow and/or Strawn.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 4-8-93
 TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY Mark Dealey TITLE Deal DATE 4-19-93
 CONDITIONS OF APPROVAL, IF ANY: